



# Western Australian Bird Notes

NUMBER 34  
JUNE 1985

Quarterly Newsletter of the W.A. Group  
Royal Australasian Ornithologists Union

Registered by  
Australia Post  
Publication No. WBH1453

**RAOU Office  
in W.A.:**

Suite 30, Rowley's Centre, 15 Ogilvie Road (South), Canning Bridge W.A., 6153.  
**Telephone: (09) 364 6202**

**CHAIRMAN:**

Miss Barbara Hale, 35 Bruce Street, Nedlands. 6009.

**SECRETARY:**

Miss Shapelle McNee, 466 Canning Highway, Attadale. 6156.

**EDITOR:**

Roger Jaensch, Field Officer, RAOU Office in W.A.

## ANCHORS IN THE SKY

On 22 April, 1985, on one of the last warm afternoons of late summer, I was fortunate to observe three parties of Fork-tailed Swifts moving north over the Canning River Valley in Roleystone.

The first group of about 12-15 birds with some Tree Martins passed quickly north. The second appeared about ten minutes later. Soon there were about 50 birds overhead in a column that extended out of sight. The lowest were just above the marri tree-tops, their dark colour and contrasting white rumps clearly visible. The higher birds, like anchors in the sky, were swirling and feeding. They remained some minutes before going north. The third group of about eight birds followed quickly and by 14.00 hrs, there was not a swift to be seen.

It is reported in the R.A.O.U. Atlas that Fork-tailed Swifts are attracted to bushfires to feed on disturbed insects. It is relevant then that there was a small bushfire about two kms to the east, and in the light N.E. breeze the smoke was drifting away to the south-west. The birds must have passed downwind of the fire if their direction from the south-east was consistent just before they reached my location.

Elizabeth King

## WESTERN WHIPBIRD AND WESTERN BRISTLEBIRD SURVEY

The RAOU has been granted funds by the Australian National Parks and Wildlife Service for a survey of the Western Whipbird and Western Bristlebird in Western Australia. The aim of this study is to establish the current status of these two species. Shapelle McNee has been appointed Field Officer for this project which will run for three months. Field work will be carried out during June and July.

During the last 150 years the coastal areas of the south-west of Western Australia have undergone considerable change. These changes continue to occur with pressures of land clearing and fire. Bird species such as the Western Bristlebird, Western Whipbird, Noisy Scrub-bird and Ground Parrot have been particularly susceptible to these pressures.

The Western Bristlebird was formerly widespread along the coast in heath from the Fitzgerald River National Park to Perth. (G.T. Smith, 1977. *Emu* 77:173-179). The Field Atlas shows the Bristlebird to be restricted in distribution to Two Peoples Bay and Fitzgerald River National Park.

The Western Whipbird was formerly found from Wongan Hills, south-east to Hopetoun, west to Denmark and south to

Photographs by Bert and Babs Wells



Mother Mistletoebird brings food to the cradle. Look out for Mistletoebirds at high perches in the metropolitan area: their piercing calls are often heard during winter.

Margaret River (G.T. Smith, 1977. *Emu* 77:173-179). The Field Atlas shows the Western Whipbird restricted to Two Peoples Bay, Fitzgerald River National Park and north of Ongerup.

Like the Noisy Scrub-bird, the Western Bristlebird and Western Whipbird are birds of great character and intrigue. Harley Webster gives a vivid portrayal of these three species.

*All three have similar strong legs, feet and beaks; all have short wings and comparatively weak powers of flight but astonishing speed of foot. ... all three are dull coloured, spend all their lives in thick vegetation, either low scrub, thickets or in the heavy cover of deep gullies, ... The Scrub-bird is the master strategist and I have never caught one unawares but the Bristlebird, while running him very close, is also full of curiosity and one of the most confirmed "stickybeaks" in the bush. Whipbirds, by contrast, seem to pay little attention to an observer unless he is clumsy when they glide silently away and usually do not call again for a considerable time. (Western Australian Naturalist 10:25-28, 1966.)*

Sites at which Western Bristlebirds and Western Whipbirds have been recorded historically and in the Field Atlas, will be surveyed. New locations will also be surveyed, possibly extending our knowledge of the distribution and preferred habitat of these birds.

Shapelle would be interested in any sightings of the Western Whipbird or Western Bristlebird whether recently, a few years ago or many years ago. Details of such sightings can be sent to the WA Office of the RAOU, or Shapelle McNee can be contacted directly by telephoning (09) 330 1038.

## EDITORIAL

This issue of W.A. Bird Notes is shorter than recent issues due to a shortage of material submitted and other work commitments for the editor. If a great volume of material is received for the September issue, it might be extended to cover 14 rather than 12 pages. Of course, there is no point in publishing articles to fill extra pages unless they are worthy of being read!

We welcome the assistance of **Allan and Rose Jones** in producing this issue, making the task of the editor somewhat simpler. It is quite likely that a **new editor** will be needed after the December 1985 issue.

## COMING MEETINGS

Meetings of the WA Group of the RAOU are currently held in the **Herdsmen Lake Wildlife Centre**, unless a different venue is announced in this newsletter. The room opens at 7.30pm and meetings aim to start at **8.00pm**. Visitors are especially welcome.

**Car-parking** space is available at the entrance to the Centre's driveway, near the intersection of Flynn Road and Selby Street, Wembley.

### Monday 24 June: Dr Denis Saunders, CSIRO — Avifauna

#### Changes on Rottnest over time

Dr Saunders has been involved with research into Australian birds for a number of years, principally with CSIRO Wildlife and Rangelands Research Division at Helena Valley. His special concerns have included **Black-Cockatoos** and **Corellas** in Western Australia. He has also spent a **great deal of time** on Rottnest and together with G. Smith and P. de Rebeira has published a checklist of its birds.

### Monday 5 August: Ron Johnstone — Identification of seabirds

Through his work in the Ornithology Section at the W.A. Museum, Ron Johnstone has often dealt with beach-washed seabirds which members of the public have brought in to be identified. Ron has several research interests with seabirds and has been involved in the Australasian Seabird Group of the RAOU for many years. At this meeting he will use study skins to discuss the identification of seabirds on the wing and on the shore. This will be most relevant to those beachcombers looking for specimens on our coastline in August and September.

Monday 30 September: Speaker to be confirmed in next newsletter.

## COMING EXCURSIONS

Excursions and campouts are directed toward both country and metropolitan localities and aim to provide experience in bird recognition and appreciation to members and newcomers. Information gathered on the day is often used for specific management or educational purposes.

**Interested newcomers are always welcome** at any event and experienced birdwatchers are only too pleased to assist with identification of unfamiliar birds.

**Codes** MBP = part of the programme of the Metropolitan Bird Project, organised by Project Officer, Ron Van Delft.

MBP/RAOU = Joining excursion of MBP and RAOU.  
RAOU = 'standard' RAOU excursions.

### Saturday, June 8: Swanbourne Beach/Lake Claremont (RAOU/MBP)

We will be specifically looking for **White-winged Fairy-wrens** in the sand dunes at Swanbourne, starting at the Swanbourne Beach

carpark (north end of Marine Parade) at 0800. Gather at the south end of Strickland Street, Swanbourne at 1030 for a look at Lake Claremont.

### Saturday, June 22: Tutanning Nature Reserve/Pingelly District (RAOU Day Trip)

Meet at 0800 on the roadside just past the intersection of Canning Road and Brookton Hwy, Karragullen (on the Brookton side, before Gardiner Road). Return trip of approx. 400km. Some might like to organize sharing of vehicles after arriving at the meeting place.

After a rendezvous at the Pingelly Post Office at 0945 we will visit the powderbark woodland and heath in nearby Tutanning Nature Reserve, hoping to see **Blue-breasted Fairy-wrens**, **Crested Bellbirds**, **Redthroats** and possibly **Black-eared Cuckoos**. If time permits, nearby lakes could also be inspected.

Organizer: Roger Jaensch.

### Saturday, June 29: Excursion Leadership Workshop

If you have ever wanted to lead a birdwalk but thought "I don't know enough about birds" or "I don't know any good places" then come along to this workshop. Topics to be covered include excursion pre-planning, publicity, handling flocks of birdwatchers and newcomers, introductory speeches, commonly asked questions and how to fob off tricky questions to knowledgeable looking RAOU members. The workshop will be held at Herdsmen Wildlife Centre at **1 p.m. sharp**. A one dollar charge will be levied to cover room hire and materials.

### Sunday, June 30: Lake Monger (MBP)

Meet at 2 p.m. at the carpark beside the bowling green on the west side of the lake. Will the **Lake Monger Freckled Ducks** be seen?

### Sunday, July 21: Pinnaroo Valley (MBP)

Meet at 2 p.m. at the carparking area in the park, near the small lake. You can't stay indoors all winter!

### Sunday, August 4: Manung Lake (MBP)

Meet at 2 p.m. near the corner of Davilak Ave and Azelia Rd, Spearwood.

### Saturday, August 17: Wambyn and St Ronan's Well Nature Reserves (RAOU Day Trip)

We plan to visit several nature reserves in the western parts of the Shires of York and Northam. The wandoo, jam and York Gum woodland ought to support a wide variety of birds preparing for breeding.

Meet at 0800 at the carpark at Centrepoint Shopping Centre, Great Eastern Highway, Midland. Some cars could be left at the carpark.

Organizer: Bruce Buchanan.

### School Holidays: Rottnest Campout (?)

Plans for an RAOU campout on Rottnest in the August School holidays are still being finalised. For details of this event contact Steve Keeling on 291 7592 or the RAOU office (WA) closer to this time.

**Saturday 31 August to Thursday 5 September: Campout -  
Petrudor Rock, Mt Churchman, Bimbijy Station**

Petrudor Rock is about 270 km from Perth and is off the Pithara-Kalannie Road (page 17, Travellers' Atlas). We will meet and camp here on Saturday, so some might like to make a weekend trip to see Scrub-robins, Shy Hylacolas and Spiny-cheeked Honeyeaters. Self-sufficient bush camping, some water available. At Bimbijy station, 400 km from Perth on a good road all the way, we have reserved some tent sites and use of the kitchen from Monday 2 September (cost \$3 per night). Over 70 species have been seen here and a stay of at least three days is recommended.

**Please ring Diane by 25 July if at all interested (381 9035 weekdays).**

Later in August you will need to obtain from the Office the details of the Saturday morning rendezvous at Petrudor Rock.

Organizer: Diane Beckingham.

**Sunday, September 8: Tomato Lake (MBP)**

Meet at 2pm in Scenic Drive, Kewdale.

**Saturday, September 14: Seabird Trip**

Another exciting escapade beyond Rottnest. Bookings with Steve Keeling on 291 7592 by 31 August. Cost \$30; minimum 'crew' of 20, maximum of 24.

Another seabird trip is proposed for late November.

**Saturday, September 14: Mogumber/Moore R. (RAOU Day Trip)**

Meet at 0830 at the Bindoon Hotel carpark, Great Northern Highway, just past Bindoon. A round trip of about 280km from GPO Perth. Nesting bush-birds and waterbirds.

**Sunday, September 22: Bayswater Bird Sanctuary**

Joint excursion of the MBP and the Recreation Association for the Disabled of W.A.

**CHECK THE SEPTEMBER ISSUE FOR DETAILS OF EVENTS FROM SEPTEMBER TO DECEMBER.**

## MEETING REPORTS

A large assemblage of members and friends gathered at the Wildlife Centre on 25 March to hear **Dr Hsu Weishu** speak about birds and bird study in China. Dr Hsu is Associate Professor at the Peking Natural History Museum and Deputy Secretary-General of the Ornithological Society of China.

In his most absorbing address, Dr Hsu spoke of research on rare birds such as the Crested Ibis, Siberian White Crane and many species of pheasants. Loss of habitat and hunting have affected many species, but increasing public awareness has been of benefit to researchers and conservation agencies. The "Love the Bird Week" was one strategy used by the government to educate children about birds and their conservation.

Being such a large country, China encompasses tropical, temperate, desert and high latitude environments with a corresponding broad diversity of bird species. Dr Hsu presented slides of a selection of species and bird haunts such as the gull colonies in Sechwan and crane refuge at Zhalung in Manchuria.

The governments of Australia and the People's Republic of China are currently negotiating a treaty to protect birds which migrate between these two countries. Waders such as the Marsh Sandpiper, Eastern Curlew and Asian Dowitcher breed in the Zhalung Reserve prior to visiting Australia each year.

Dr Hsu was able to visit much of the south-west and also experience wader concentrations in the Pilbara and near Broome during his stay in W.A. His friendly nature and interest in our birds, research organisations and country won him many friends.

## EXCURSION REPORTS

**Campout at Goodale Sanctuary: 2-3 March**

On our morning excursion to Lake McLarty we had twenty or more wader-watchers in tight formation with telescopes poised as we had been forewarned of the chance of seeing something unusual. We were rewarded with the very special sighting of ten Oriental Pratincoles feeding on insects at the muddy lake's edge. We observed a total of 60 other species including Marsh, Wood, Pectoral, Sharp-tailed and Curlew Sandpipers.

At Lake Mealup the mud was as usual deep and squelchy, the scenery was picturesque and numerous water birds were feeding serenely at the north-west corner. Thirty-five Great Egrets and 15 Yellow-billed Spoonbills continued to feed as we approached close enough for photos. We noted 43 species including Sacred, Straw-necked and Glossy Ibis and the three species of grebe.

The Goodale Sanctuary was a pleasant and convenient overnight base and around the lake we saw 55 of the 104 species so far recorded here. It was a delight to watch the colony of breeding Darters and the last two observers to leave sighted the Black Bittern as it flew off at their approach.

Near the south-east corner of the Harvey Nature Reserve a Peregrine Falcon was observed through a scope in the early morning and numerous Stubble Quail were flushed at the Drain nearby.

We extend thanks to the Goodales for the use of their Sanctuary and to John Hansen for his leadership and navigation.

D. Beckingham

## EYRE BIRD OBSERVATORY

**EYRE BIRD OBSERVATORY REPORT 3, 1981-1983**

This report is the last report that will be prepared by Peter Congreve and is a fitting memorial to the effort that he and Di put into Eyre. The bird list now stands at 211 species and makes interesting reading. This alone would justify obtaining a copy.

Reading on, there are details of observations on Malleefowl followed by details of birds banded and retrapped. These reports are now showing something of the biology of the birds of this habitat. Details are given of the wader counts along Kanidal Beach. There is a mass of information here that requires further study to point the way for future research.

The second half of the report is a series of papers; Stephen Davies discusses sand dune stabilisation; Peter Congreve writes about wing moult in honeyeaters; he joins with Di and Stephen Davies on censusing at Eyre and with Stephen Ambrose on nesting of the Welcome Swallow. Finally Stephen Ambrose presents some of his work on the White-browed Scrub-wren. These papers contain something for everyone and are a cross section of the work at the Observatory.

Then there are a few short reports on some of the courses run in 82/83 and finally the latest in the Dunny saga — a must for the affectionado. Mike Bamford's endplate of a Blue-breasted Fairy-wren deserves wider viewing.

This report, like Eyre itself, gives pleasure to the birdwatcher and to the student of birds, while showing how much more we have to learn. Thank you Peter and Di and goodluck Nick for the next. Copies of this report can be obtained from the R.A.O.U. offices or from Eyre. Cost: \$5 plus postage.

## SOUTH-WEST WATERBIRD PROJECT

Report by Field Officer, Roger Jaensch

**1. Survey at Dumbleyung Lake**

Located in the southern wheatbelt east of Wagin, Dumbleyung Lake is a salty lake covering an area twelve kilometres in length and up to eight kilometres wide. Parts of the edge of the basin

are steep and rocky, offering little to interest hungry waterbirds. In fact, most of the wetland consists of deep, exposed waters, only suitable for loafing by rafts of ducks and diving birds.

Flowing into the south-eastern part of the lake, the **Coblinine River** provides most of Dumbleyung's water volume. The river mouth and nearby shallows are studded with dead trees and samphire which create an extensive sheltered environment for feeding.

Although Donald Campbell once used the lake for speed-boat trials, it has experienced many long shallow or dry periods. Dumbleyung Lake has **only overflowed on a handful of occasions** in this century. The most recent spill was in November 1983, due to the boost from floods in January 1982. At this time a maximum depth of 4.45 metres was recorded by the Department of Fisheries and Wildlife.

We might expect such a large dry-season wetland to be an important refuge for waterbirds, but data has been patchy because surveys have been hampered by the enormity of the task.

A **team of 15 observers** gathered at the Ski Club ramp on 30 March 1985 to attempt to improve our understanding of the value of the lake for waterbirds. Using three boats with outboards and three shore-based parties, approximately one third of the wetland was inspected. This area comprised the most useful waterbird habitats at Dumbleyung Lake.

Conditions were warm and breezy, but the hardy teams accounted for **25,000 birds** altogether, a total second only to peaks of 40,000 (Peel Inlet) recorded earlier in the Waterbird Project. Eurasian Coots (10,500) and Grey Teal (7,000) were the most abundant species.

Four species were added to the list for Dumbleyung Lake, namely Freckled Duck, Black-fronted Plover, Wood Sandpiper and Common Sandpiper. The latter entertained us during our luncheon gathering but was not seen subsequently! Freckled Ducks had been reported prior to the Project.

The **species tally** for Dumbleyung now stands at 36, not far behind other well known important sites in the wheatbelt (Beverley Lakes 41, Toolibin Lakes 40 species).

Totals for 19 species were the highest to date at this site (during the Project). **The count of 475 White-faced Herons is possibly the highest ever recorded for this species at one site in the south-west.** Great Egrets (76) were widely spread around the shores and higher totals over the last four years have only been made at Peel and Vasse Estuaries.

Sightings of the Freckled Duck, Blue-billed Duck and Wood Sandpiper were especially interesting as these species generally prefer fresh water environments.

**Special thanks** are due to Ray Garstone and Grant Pearson for organising the boats and Mal Graham for his excellent map. Mention should be given to Bruce and Anne Buchanan for their fabulous fruit cake — commiserations for the tricky creek-crossing! Others participating were Ben Carr, Wayne Zadow, Brian Wooldridge, Jane Nurick, Ian Standing, Bev Wilcox, Doug Watkins, Peter & Di Congreve, Edna Milne and the Field Officer. All such exercises are open to all takers!

It is now clear that Dumbleyung Lake is **among the most important wetlands** in terms of waterbird usage, in the greater south-west region.

## 2. Crake and rail trapping

Following successful operations at Thomsons Lake in early 1983 when 34 birds of four species were caught, another programme was organised in February-March 1985. The lake had dried too far by the time we were prepared for action in 1984 and our timing was almost too late again in 1985.

Exploiting concentrations of crakes and rails in the muddy edges of rush-beds, trapping efforts were made daily between 27 February and 8 March. Most of the work was performed by **Pauline Clay**, with some help from Doug Watkins, Nick Dymond, Janet and Lynn Pedler (S.A.) and the Field Officer. Actually, we owe all credit to Pauline whose enthusiasm caused the exercise to get off the ground in 1985.

### Our catch comprised:

Spotless Crake	— 16
Australian Crake	— 1
Baillon's Crake	— 1
Buff-banded Rail	— 1
Total	— 19

In 1983 we experienced similar proportions in the species caught.

All birds were trapped in the heavy triangular wire mesh walk-in traps used in 1983. More than half were snared after observers walked toward the traps through the rushes. Plastic drift-line fences (gutter-guard) were used to divert birds to the trap entries and although only 18 cm high, were almost as successful as the taller fences used previously.

Only five of the 19 birds (26%) were obvious immatures, all being Spotless Crakes. These were recognised by whiter throats and duller legs than adults and sometimes sheaths at the bases of breast or wing feathers. Non-flying runners comprised 44% of the catch in 1983 (none in 1985), although the trapping was closer to nesting times in that year.

In 1985, all crakes and rails were caught in beds of bulrush *Typha* with clumps of spike-rush *Baumea articulata*.

The exercise again proved its value in adding undetected species to waterbird counts and confirming the numerical dominance of Spotless Crakes (assuming species equally catchable). Techniques for catching crakes and rails have been refined through these exercises so that more organised collection of biological data from these birds can be attempted in coming seasons.

## 3. Vasse-Wonnerup Estuary

Many birds will be familiar in a superficial way with the Vasse-Wonnerup Estuary system near Busselton. However, its real importance for waterbirds is only revealed when water remains in the shallows well into autumn — as in 1985.

Intensive observations and counts by Brad Kneebone on 9 February 1985 produced some especially interesting results.

Counts of Black Swan (1244), Grey Teal (3970), Pacific Black Duck (2768) and Yellow-billed Spoonbill (22) were top figures for this wetland to date. Totals for Pacific Black Duck and Great Egret were the fourth highest and Great Egret third highest for those species in the Project.

Thirty species were listed on 9 February '85, totalling a record for this wetland of 15,600 birds.

## 4. Send in your data

**Would all observers please send in any outstanding data IMMEDIATELY** as we must finalise the survey information by mid-June. Data received later **may not be considered** in the final report of the Waterbird Project 1981-85, which should be completed by December 1985.

## 5. Ongoing Monitoring of Selected Wetland Nature Reserves

A proposal has been submitted to the Department of Conservation and Land Management for funding to enable the RAOU to **carry on a waterbird programme at certain wetlands**. This awaits the approval of the Director and Minister, but we are confident that it has every chance of success.

All going well, we would be able to monitor waterbird usage at important wetland nature reserves and reserves with management problems, **for another five years**. This short list would certainly include Peel Inlet, Vasse Estuary, Bengier Swamp, Forrestdale Lake, Thomsons Lake and others in Tables 1 and 3 (pp 7 & 8) of last newsletter, as well as Beverley Lakes, Namming Reserve, Lake Muir reserves and some lakes around Esperance.

We would also have the **capacity to process data for any reserves that observers are keen to continue to visit on a two monthly basis**. Although we have an excellent set of information from the past three to four years, many patterns will only become evident from ten or more years of data.

Any person either currently involved in the Waterbird Project or totally unfamiliar, should **contact me if interested** in this valuable management-oriented monitoring programme.

# METRO BIRDER NEWS

## CONTENTS

Herdsmen Meeting a Success  
Preliminary Analysis Shows Interesting Results  
**NEW RECOMMENDED SURVEY DATES**  
Domestic Ducks — Sorting Out The Species  
Rainbow Lorikeets — How Many Are There?

Similar Species — New Atlas Numbers  
**HINTS** — On Surveys, Form Filling and  
Form Supply  
Feature YOUR site  
Excursions Report



Photo by Eric Van Delft

### HERDSMAN MEETING A SUCCESS

Ninety-five people participated in the first meeting of Metro Birders held at the Herdsmen Wildlife Centre. Many people doing regular surveys in the same vicinity met for the first time and exchanged stories and information.

I would like to thank those who attended and the people who provided constructive comments.

### PRELIMINARY ANALYSIS SHOWS INTERESTING RESULTS

Four hundred and twenty seven computer forms covering 125 sites between October and March formed the basis of the first

preliminary analysis. A full description of the analysis was given at the meeting and some highlights are noted below.

—The Australian Raven and Australian Magpie were recorded in over 75% of all surveys. Only 15% of surveys noted the 40th most often recorded species, the Splendid Fairy-wren.

—A clear difference in species present was noted between Coastal Plain and Darling Range sites. For example the Singing Honeyeater was recorded in 71% of Coastal Plain surveys but in only 1% of Darling Range surveys.

—Some mapping was done, which showed that the Grey Fantail was recorded less often in inner suburban surveys than outer suburban surveys.



# OBSERVATIONS

The following records have been partly vetted and will receive further scrutiny before they are considered for the 1984 and 1985 Bird Reports for W.A. Observers are encouraged to submit copies of field notes with all accounts of unusual sightings. Individual observers will be acknowledged in the Bird Reports.

This series mainly covers **December 1984 and January-May 1985**. Bold type indicates wetlands under study in the Waterbird Project. Shire names are given in brackets.

## 1. South-West & Eucla Divisions

- Great Crested Grebe — 1, near **Pt Waylen** (Metro), 1/3: first record for this site in Waterbird Proj.
- Giant-Petrel species — 1, 18/3, Rottnest crossing.
- Australian Pelican — 11, 25/2, Little Noring L (Wagin).
- Little Black Cormorant — 200, Gairdner R near Qualup (Jeramungup), 26/12.
- Pacific Heron — 1, 19/4, Pipidinny Rd, near Yanchep: few reports at this time of year.
- Great Egret — 56, 13/4, **Chittering L** (Chittering): peak count for this site.
- Little Bittern — 1 male flushed from muddy beds of rush, 27/2, **Thomsons L** (Cockburn): a late date for this species in the South-West.
- Black Bittern — 1, Jan 85, Blackwood River near Mayanup (Boyup Brook): further upstream than on previous occasions.  
— 1, 26/2, Blackwood R near Sue's Bridge.
- Australasian Bittern — 1 calling, 4/12, **Bokarup Sw** (Cranbrook): **new locality for this species**.
- Yellow-billed Spoonbill — 60+, 17/4, **Crackers Sw** (Dandaragan): largest concentration ever recorded in the south of WA?
- Freckled Duck — 27, 29/12, including two sets of young, **Wannamal L** (Gingin).  
— 2, 16/3 & 13/4, **Chittering L** (Chittering).  
— 2, 9/5, **Woody L** (Esperance): first report from this shire in the Waterbird Project.
- Grey Teal — 6000, 18/3, **Wardering L** (Woodanilling).
- Blue-billed Duck — 2 ducklings about 10cm long, 12/3, Tomato L (Metro).
- Square-tailed Kite — Kununurra, March.
- Peregrine Falcon — 1, 1/3, **McLarty L** (Murray): trying to pick up a dying Coot on the water . . . without luck.
- Brown Quail — 4, 3/5, adjacent Mill Brook Nature Res (Albany).
- Buff-banded Rail — 2, 15/12, at farmhouse near Woodanilling, with six newly-hatched runners.  
— 1, 14/5, crossing Norseman Rd at **Shark L** (Esperance): at midday. Possibly interested in road-killed miners.
- Baillon's Crake — 4, **Thomsons L** (Cockburn), 23/2.
- Spotless Crake — 25, 14/3, **Grasmere L** (Albany): a record count for the Waterbird Project.
- Black-tailed Native-hen — 3, 30/4, L Claremont (Metro).  
— 37, 12/5, **Bambun L** (Gingin): an unusual time of year to appear at this site.

- Coot — 2 chicks 15cm long, Tomato L, 12/3: unusually late breeding.
- Red-kneed Dotterel — 150, 25/11, **White Water L** (Corrigin): Previous max concentration in Waterbird Project was 34!  
— 42, **Big White L** (Narrogin), 10/1.
- Large Sand Plover — 1, 14/3, **Shaster L** (Ravensthorpe).
- Red-capped Plover — 400, 24/2, **White Water and Brown Ls** (Corrigin).
- Black-fronted Plover — 53, 17/4, **Crackers Sw** (Dandaragan) : max count from Waterbird Proj sites.
- Eastern Curlew — 2, 10/2, **Peel Inlet East** (Murray).
- Wood Sandpiper — 8, 2/4, **Thomsons L**.
- Marsh Sandpiper — 1, 12/5, **Thomsons L**.
- Black-tailed Godwit — 3, 29/4 & 8/5, **Thomsons L** : these are fairly late dates for these three species.
- Pectoral Sandpiper — 1, 10/3, S of L Coogee (Metro).  
— 1, 11/3, **Guraga L** (Dandaragan).  
— 6, 2/3, **Warden L** (Esperance).  
These are all new localities for this species.
- Long-toed Stint — 1, 2/3, **Warden L** : new locality.  
— 1, 17/4, **Crackers Sw** (Dandaragan) : new locality.  
— 4, 12/5, **Thomsons L** : unusually late.
- Dunlin — a bird seen at Stokes Inlet (Esperance) on 23/4 was almost certainly this very rare Aust vagrant. The bird was in advanced breeding dress and was described in detail.
- Oriental Pratincole — 3, 16/3, **Jandabup L** (Wanneroo).
- Pomarine Jaeger — 1, 18/3, Rottnest crossing.
- Kelp Gull — 1, 25/3, James St breakwater, Esperance. A rare species in WA.
- Whiskered Tern — 574, 4/5, **Peel Inlet East** : second highest count for the Waterbird Project.
- White-winged Tern — 1, 3/4, **Mullet L** (Esperance) : new to the Esperance district.  
— a flock at **Thomsons L** comprised 40 birds on 18/3, 60-80 on 29/4 & 22 on 8/5 : many had developed full breeding dress by April. This is the largest concentration in the Waterbird Project so far.
- Bridled Tern — a juvenile bird landed on a boat off Garden Island in exhausted condition on 13/4.
- Red-tailed Black-Cockatoo — daily flights of 8-10 birds from the scarp to woodlands near the South-West Hwy, near Mundijong, 22-24/3.
- Purple-crowned Lorikeet — 3, 3/4, Kalamunda : many reports in the metro area at this time.
- Regent Parrot — 10, 30 km N of the coast in a small patch of yates in heathland, 53 km NW of Esperance.
- Fork-tailed Swift — 6, 24/2, Garden Island : hot, clear weather; flying with Tree Martins.  
— 1 + 6 + 5, 17/4, **Crackers Sw** and **Guraga L** (Dandaragan): flying into NE wind with huge masses of Tree Martins.
- Crested Bellbird — Pipidinny Rd., near Yanchep, 27/4.
- Clamorous Reed-Warbler — 38, 4/12, **Benger Sw** (Harvey).

