



Western Australian Bird Notes

Quarterly Newsletter of the W.A. Group

Royal Australasian Ornithologists Union

RAOU Office Room 218, Rowley's Centre, 15 Ogilvie Road, Canning Bridge W.A. 6153
In W.A.: Telephone: (09) 364 6202
CHAIRMAN: Geoff Shannon, 29 Waldemar Street, Gwelup, 6021. Telephone: 445 2417
SECRETARY: Judy Jenkins, 5 Howlett Place, Leeming, 6155. Telephone 332 3580
EDITOR: Bruce Buchanan, 2 Jarman Avenue, Manning, 6152
RAOU BIRDING HOTLINE 364 7349

Registered by
Australia Post
Publication No. WBH1453

DUNE STABILIZATION AT EYRE

8 January - 21 January, 1988

The area selected for stabilization was that which is opposite to last year's work, where the track to the beach is at its highest. Unfortunately insufficient nets were available. Consequently, the protection of the newly planted areas had to be implemented mainly by the spreading of seaweed.

Inspiration was gained by the green area resulting from the 1987 effort. Referred to as 'The Vegie Patch', it attracts Pink Cockatoos and a family of Emus. Euphorbia had sprouted early, so we were enthusiastic in gathering and planting its seed between the Spinifex Hirsuta heads which take about two years to grow. Our task was not without its setbacks. One was the Land Rover which, on a search for seaweed deposits, gave up the ghost 9 km from the house and required three visits before it was successfully towed away for repairs. With the aid of some newly-gained mechanical know-how we were able to keep

the Land Rover going to collect sufficient seaweed to cover the bulk of the acre which was planted. Another problem was the shortage of people. In the second week only two course participants were at Eyre. Without the assistance of Brice, Gail and Peter, much less progress would have been made. It was not an easy time for Brice and Gail to be working on dunes as another course was imminent and they were preparing for a handover and to take a well earned holiday.

The weather was mostly kind, but there was a little sunshine and a fair measure of wind-blown sand with which to contend. Between the dune duties we examined the possum boxes, did a beach bird count, swam, looked for birds in the bush and were entertained by the antics of visitors to the bird-baths. Dugites were sighted a few times, one making an appearance on the work bench in the shed. Bats did the nightly rounds of the verandahs as a prelude to the following week's course.

Everyone worked hard, including those who had not envisaged their short stay would include such a task. Because of these efforts and those who have worked before, dune stability is becoming a reality. Further effort will soon stabilize those areas which are currently a problem.

R. Smith



Toby Nichols and Brice Wells on the dunes

Photo by: Rod Smith

OBSERVATIONS

collated by Rodney Vervest and Roger Jaensch

The following records have been partly vetted and should receive further scrutiny before publication in RAOU Reports or in technical journals. Observers are encouraged to submit copies of field notes with all accounts of unusual sightings. The Atlas of Australian Birds, Serventy and Whittell's Birds of Western Australia and regional lists (e.g. Kimberley, Pilbara, Gascoyne, Eucla) by the W.A. Museum should be useful guides to records that are unusual with respect to distribution or status.

This series mainly covers the period from October 1987 to January 1988. Shire names or the nearest known locality are given in brackets. Where known, the observer is identified by an abbreviation - abbreviations are listed below.

Observations that appear in other articles in this newsletter may not be repeated here.

Please send details of sightings to 'The Observations Officer' at the W.A. Office of the RAOU.

DOWN SOUTH

Great Crested Grebe - 4, 11/11/87, East Jerdacuttup Lake, near Hopetoun: four nests with eggs in flooded paperbark thicket - RJ * 35, 31/8/87, Lake Clifton (Mandurah) - AD

Great-winged Petrel - 1, 30/10/87, flying over Melville Water, Swan River (Metro) - GM (The Great-winged Petrel can be seen in all seasons in southern W.A. but during the Atlas sightings were most widespread in spring. The species is a winter breeder and colonies are known from islands between Albany and Cape Arid - RV)

Sooty Shearwater - 1, 1/12/87, Kanidal Beach, Eyre: beach-washed (1 also on 18/12/87) - BW, GH

Pacific Heron - 9, 26/12/87, Minvalara Swamp, Bremer Bay area - ABu, BBu

Little Bittern - 1, 12/11/87, 31 km E of Esperance: calling from tall Baumea rush - RJ * 3, 26/11/87, North Kogolup Swamp (Cockburn): two nests with eggs, one in Typha and one in Melaleuca thicket - RJ, DW

Australasian Bittern - 3, 19/1/88, Owingup Swamp (Denmark) - LB

Glossy Ibis - 13, 28/12/87 & 11/1/88, Vasse-Wonnerup Estuary (Busselton) - RJ, RV, SN, JH * 2, 9/1/88, Forrest Road marsh (Cockburn): feeding with 30 Straw-necked Ibises - PRH

Yellow-billed Spoonbill - 74, 17/8/87, Barragup Swamp (Murray) - AD * 2, 10/11/87, Coomalbidup Swamp (Esperance): nest with three eggs in paperbark in deep-flooded yate swamp: first breeding record for Eucla Division - RJ * 34, 17/12/87, mouth of Sleeman River, Wilson Inlet (Denmark) - LB * 130+, 28/12/87 to 11/1/88, Vasse-Wonnerup Estuary (Busselton) - RJ, RV, SN, JH * 24, 19/1/88, Owingup Swamp (Denmark) - LB

Freckled Duck - 3, 10/12/87, Chittering Lake (Chittering) - BK * 1, 13/12/87, Joondalup Lake (Wanneroo) - MHB * 2, 25/12/87, Yellilup Swamp, Jerramungup - ABu, BBu

Australian Shelduck - 10,000, 10/11/87, Gore Lake (Esperance) - RJ * 7000, 12/12/87, Gore Lake (Esperance) - JE

Grey Teal - 11,900, 11/1/88, Vasse-Wonnerup Estuary (Busselton) - RJ, RV, SN, JH

Blue-billed Duck - 80, 5/12/87, North Lake (Cockburn) - NG

Square-tailed Kite - 2, 28/10/87, Wannamal Lake (Gingin) - AB, JR * 1, 27/12/87, Albany Highway between Kelmscott and Armadale - PC * 1, 19/1/88, Owingup Swamp (Denmark) - LB

Brown Goshawk - 3, 15/1/88, Pipidinny Swamp (Wanneroo): immature birds - BBa

White-bellied Sea-Eagle - 3, 6/11/87, Carraburyup Reserve (Murray): one downy young also - JS

Little Eagle - 1, 28/11/87, Joondalup Lake (Wanneroo): young in nest - PRH * 1, 9/12/87, Bayswater Bird Sanctuary (Bayswater) - JH * 1, 27/12/87, Albany Highway between Kelmscott and Armadale - PC

Peregrine Falcon - 1, 10/12/87, Bond Corporation Building, St Georges Terrace, Perth - DKe * 1, 24/12/87, Twilight Cove, Eyre: male - BW, GH * 1, 12/1/88, Eyre Bird Observatory: female - BW, GH

Australian Hobby - nesting, 26/10/87, Star Swamp, North Beach: with two young in tuart tree - VP

Baillon's Crane - 1, 12/11/87, 31 km E of Esperance: flushed from low rush and stunted Melaleucas fringing Baumea rush swamp - RJ * 1, 26/11/87, Forrestdale Lake (Armadale) - PRH

Purple Swampphen - 2, 11/11/87, 29 km NE of Hopetoun: with small black runner in flooded roadside swamp of low Melaleucas and tussocks - RJ

Pied Oystercatcher - 15, 2/11/87, Alfred Cove (Metro) - PA

Lesser Golden Plover - 2, 17/12/87, Morley Beach, Wilson Inlet (Denmark) - LB * 85, 2/1/88, Coodanup, Peel Inlet - PW * 20, 3/1/88, Hardy Inlet, Augusta - MB * 24, 29/1/88, Vasse-Wonnerup Estuary (Busselton) - RJ, RV

Hooded Plover - 2, early October 87, un-named lake, Stirling Range National Park - AR * 4, 13/12/87, Nornalup Inlet, Walpole - LB * 2, 3/1/88, Ocean Beach, Denmark: both juveniles - LB

Oriental Plover - 35, 7/1/88, Kanidal Beach, Eyre - BW, GH

Eastern Curlew - 8, 2/1/88, Coodanup, Peel Inlet - PW (The known world population of the Eastern Curlew may be as low as 10-15,000 individuals and there is evidence that the species may be declining in Australia. Observers should note that the Eurasian Curlew has been recorded as a vagrant in the North and can be distinguished from the Eastern Curlew by the extensive white areas on its lower back and rump - RV)

Whimbrel - 1, 13/12/87, Nornalup Inlet, Walpole - LB

Wood Sandpiper - 57, 18/12/87, Vasse-Wonnerup Estuary (Busselton) - RJ, JB * 2, 19/12/87, river mud flat (Bayswater) - JH * 8, 19/12/87, Forrest Road marsh (Cockburn) - RJ * 5, 20/12/87, swamp in Banjup (Cockburn) - DJ * 2, 20/12/87, Yangebup Lake (Cockburn) - DJ * 12+, 22/12/87, west end of Gnaragara road (Wanneroo) - GS * 2, 15/1/88, Yakamia Swamp (Albany) - SK * 1, 19/1/88, Owingup Swamp (Denmark) - LB * 10, 31/1/88, Forrestdale Lake (Armadale) - PRH (The Wood Sandpiper is most often seen in suitable fresh water habitat and can be found throughout the inland of Australia. It can be identified by its strident calls and by the spotted pattern on its upperparts. The Green Sandpiper, a possible vagrant to northern Australia, is similar but has blackish upperwings and underwings - RV)

Grey-tailed Tattler - 1, 29/10/87, Alfred Cove (Metro) - GM

Marsh Sandpiper - 1, 19/1/88, Owingup Swamp (Denmark) - LB

Terek Sandpiper - 2, 12/1/88, Lower Kalgan (Albany) - LB

Gallinago snipe (probably Pin-tailed Snipe) - 1, throughout December 1987 (last seen 1/1/88), at Forrest Road marsh near egg-shop (Cockburn): toes extended beyond tail in flight, infrequent calls - BJ, SKe, RJ

Black-tailed Godwit - 1, 17/12/87, Morley Beach, Wilson Inlet (Denmark) - LB * 8, 28/12/87, Vasse-Wonnerup Estuary (Busselton) - RJ

Red Knot - 12, 2/11/87, Woodman Point (Cockburn) - DN

Great Knot - 170, 2/1/88, Coodanup, Peel Inlet - PW

Sharp-tailed Sandpiper - 1230, 29/1/88, Vasse-Wonnerup Estuary (Busselton) - RJ, RV

Pectoral Sandpiper - 1, 29/1/88, Vasse-Wonnerup Estuary (Busselton) - RJ, RV

Long-toed Stint - 1, 26/11/87, North Kogolup Swmap (Cockburn) - RJ * 2, 19/12/87, Forrest Road marsh (Cockburn) - RJ * 3, 4/1/88, Oyster Harbour, Lower King (Albany): feeding with large flock of Sharp-tailed Sandpipers - LB * 49, 29/1/88, Vasse-Wonnerup Estuary (Busselton) - RJ, RV * 3, 31/1/88, Forrestdale Lake (Armadale) - PRH (This tiny wader looks like a miniature Sharp-tailed Sandpiper. The short, trilling call and 'bat-like' flight style are distinctive. Birds often fly high and far before returning, sometimes to the site they rose from. When alarmed they often stand erect behind short vegetation or squat close to the ground - RV)

Sanderling - 1, 13/11/87, Alfred Cove (Metro) - GM

Broad-billed Sandpiper - 2, 7/12/87, Lake Clifton (Mandurah) - AD * 1, 23/1/88, Guraga Lake (Dandaragan): amongst Red-capped Plover and Red-necked Stint - ABu, BBu (Descriptions should be submitted with all observations of this species)

Ruff - 1, 2/10/87, Alfred Cove (Metro) - GM

White-winged Tern - 1, 9/11/87, Alfred Cove (Metro) - PRH * 1, 28/12/87 & 11/1/88, Vasse-Wonnerup Estuary (Busselton) - RJ

Common Tern - 1, 31/1/88, Point Waylen (Metro) - PRH (Descriptions should be submitted with observations of this species because there is interest in determining subspecies; colours of bill and legs are required - RJ)

Bridled Tern - 1, 10/12/87, Como foreshore (Metro) - DKe

Elegant Parrot - 1, 21/11/87, Joondalup Lake (Wanneroo): feeding young - PRH

Rock Parrot - 2, 13/1/88, Kanidal Beach, Eyre - BW, GH

Southern Boobook - 5, 2/12/87, near Star Swamp, North Beach: roosting in jarrah tree - VP

Tree Martin - 500, 14/1/88, Mill Street Pond (Metro) - JH

White-winged Triller - 1, 19/10/87, Wannamal Lake (Gingin) - BBa

Red-browed Firetail - 30, 28/11/87, The Dell, Kalamunda: 14 nests found, six with eggs and two with young - SvA

Red-eared Firetail - 2, 28/11/87, The Dell, Kalamunda: nest with three eggs - SvA

UP NORTH

Australian Pelican - breeding, 9/5/87 Lacepede Islands: nine chicks - KC

Great-billed Heron - 1, 10/5/87, Sale River - KC * nesting, 17/5/87, Gibson Creek off Sale River: one large young - KC

Australian Crake - 1+, 18/6/87, bore, N of Overlander Roadhouse - KC

Gallinago snipe - 1, 5/1/88, 34km N of Broome - KC

Rose-crowned Fruit-Dove - 1, 6/1/88, One Arm Point - KC

Rainbow Bee-eater - 50+, 21/8/87, Carnarvon - GS

Rainbow Pitta - 1, 11/5/87, Sale River - KC

Spilinfexbird - 6/6/87, Python Pool (Chichester Range National Park) - KC

Rufous-crowned Emu-wren - 14/6/87, Millstream (Millstream National Park) - KC

KEY TO OBSERVER CODES

AB - Alan Burbidge
ABu - Anne Buchanan
AD - Austin Daw
AR - Allan Rose
BBa - Bryan Barrett
BBu - Bruce Buchanan
BJ - Barry Jackson
BK - Brad Kneebone
BW - Brice Wells
DJ - David James
DKe - Diana Keeling
DN - Doug Nash
DW - Doug Watkins
GH - Gail Hooper
GM - George Miller
GS - Geoff Shannon
JB - John Blyth
JH - Jack Hunt
JE - Jack Ewert

JR - Julie Raines
JS - John Start
KC - Kevin Coate
LB - Lola Broadhurst
MB - Marilee Bougher
MHB - Mary Bremner
NG - Norm Godfrey
PA - Peter Anson
PC - Peter Curry
PRH - Peel Howden
PW - Peter Wilmut
RJ - Roger Jaensch
RV - Rodney Vervest
SK - Sue Keogh
SKe - Steven Keeling
SN - Simon Nevill
SvA - Sean van Alphen
VP - Vera Patterson

WATERBIRD STUDIES

THE GREAT DUCK COUNT

Third Annual Count
5 - 13 March, 1988

Waterbird enthusiasts in Western Australia have the opportunity to participate in the third annual GREAT DUCK COUNT. This is an initiative of the RAOU's Waterbird Usage Study funded by the Department of Conservation and Land Management (CALM).

THE GREAT DUCK COUNT has two objectives:

- (1) to monitor annual changes in populations of water-fowl in Western Australia, and
- (2) to identify sites that are important as refuges for waterfowl.

Data collected in the first (1986) and second (1987) Great Duck Counts confirmed the importance of many wetlands for waterfowl (ducks, swans and coots), and led to recognition of the importance of many other wetlands that were not previously thought valuable for waterfowl. In the 1988 GREAT DUCK COUNT, these sites will again be surveyed, as well as any major wetlands not surveyed in 1986 or 1987.

By repeating this comprehensive count each year, long-term changes in the population of each species of duck, swan and coot can be monitored and appropriate conservation measures enacted if consistent declines are detected.

In 1988, the GREAT DUCK COUNT will be held from 5 MARCH TO 13 MARCH (incorporating two weekends)

We will be asking volunteers who participated in the 1986 or 1987 Counts to re-survey major wetlands they visited in 1986 or 1987 as well as to survey any 'new' wetlands in their area. Volunteers who have continued routine monitoring of waterbird usage of wetlands will again be an important component of the observer force. In March, these observers will be counting waterfowl and other waterbirds as part of their routine monitoring. In addition, the Waterbirds Officer and waterbird research officers of CALM will participate. Large estuaries, complex open lakes, large reservoirs and a selection of farm dams will be surveyed from the air, to supplement our ground coverage.

To fill the many gaps in coverage of the South-west (Kalbarri to Israelite Bay), additional participants - both country and city-based - will be required to join the 1988 GREAT DUCK COUNT. This is a once-off commitment for the year. Perhaps you could encourage your friends to join in the Count!

PLEASE RING OR WRITE TO RODNEY VERVEST at the R.A.O.U. Office (phone 09 364 6202 - 24 hrs) if you think that you can assist us.

Previous experience with counting waterbirds would be helpful but is not essential. It is however imperative that observers be committed to obtaining TOTAL COUNTS (i.e. finding and counting all that are present) ducks, swans and coots at the wetland on the survey day. This can be achieved by devoting enough time and energy to fully investigating the wetland during the survey. A pre-count reconnaissance can be helpful.

Simple data forms will be used for recording counts of swans, ducks and coots. Counts of other waterbirds in addition to ducks, swans and coots will be accepted for entry in the Waterbird Usage Data Bank but are not first priority in the Great Duck Count. Such information should be entered on standard waterbird usage data sheets which are available from Rodney Vervest.

A report will be circulated as soon as possible after the count period. The full report of the 1986 and 1987 Great Duck Counts has been prepared and should be circulated to 1986 and 1987 participants during the year.

WOULD YOU MISS OUT on the challenge & excitement of THE GREAT DUCK COUNT? contact without delay Rodney Vervest Coordinator, 1988 Great Duck Count 364 6202

RAOU REMOTE WETLAND EXPEDITION, 1988

Lower Fitzroy & Roebuck Floodplains

Second to thirteenth of May has been set for the 1988 Expedition. The plan is to survey SEASONAL WETLANDS so their condition may or may not be in our favour when we get there. However, early May should give a fair compromise of weather and concentration of birds.

The objective will be to assess the importance for waterbirds of wetlands in the Lower Fitzroy and Roebuck Floodplains. One or more surveys (using 'area searches') will be made at each of a sample of wetlands (of varied characteristics) in order to record the numbers of each waterbird species present. Importance will be assessed for each wetland and for groups of wetlands, by comparing data from the expedition with RAOU data for other remote and southern wetlands and with standard criteria for wetlands of international importance.

It is already known that wetlands in the study area support large numbers of the Glossy Ibis, Plumed Whistling-Duck, Brolga and others, as well as rarer species such as the Yellow Chat. In addition to confirming the importance of particular wetlands, we hope to establish the collective importance for waterbirds of seasonal wetlands in the Fitzroy-Roebuck area.

Volunteer participants (self-sufficient campers with their own transportation), are required to conduct counts of waterbirds and assist in other daily duties of the expedition. It is hoped that survey vehicles will include Department of CALM four-wheel-drive trucks (2), a 4WD 'bus' and Dual Cab provided by Falcon Tours, a variety of private 4WDs and at least two small outboard boats. There may be two communal eating arrangements as well as self-sufficient individual campers.

The expedition will commence from Broome on 2 May. After surveys in the area it is planned to move to Derby about 6 May. The last survey will be 13 May. The expedition will be moving on regularly and each overnight stop will be for 2 or 3 nights.

Approximately 10 seats may be available with Falcon Tours as a means of getting to and from the expedition and participating in it. FT coordinator Simon Nevill is planning a leisurely trip up and back to give opportunity for casual bird-watching. The FT group would be fully catered for (tents, eating); the cost is likely to be very reasonable. Contact Simon on (09) 450 2460 or at 38 Pether Road, Manning 6152 if interested in this option.

Names and addresses of persons interested in joining the 1988 expedition should be forwarded to:

Rodney Vervest, RAOU Office, 30/15 Ogilvie Road, CANNING BRIDGE 6153

Firm commitments will be sought in late February or early March, 1988. A post-expedition (private) tour to the Mitchell Plateau may be organised.

Roger Jaensch, RAOU Waterbirds Officer,
Rodney Vervest, RAOU Scientific Assistant.

EGRET BREEDING COLONIES: 1987-88

The RAOU, under contract to CALM, is studying egret colonies in Western Australia and fieldwork has recently finished for the 1987-88 breeding season. Intensive surveys in the South-west were conducted in October, November and December in 1987 and in January 1988.

Four colonies of Great Egret were active in south-western Australia during the season (five were active in 1986-87) and these were as follows: South Perth Zoo (5 pairs), West Corio Swamp (20 pairs), Australind Egret Swamp (15 pairs) and McCarley's Swamp (39 pairs). In 1986-87 a colony of 35 pairs was discovered at Caris Park Road Swamp (S of Pinjarra) but this colony was inactive in 1987-88. More egrets bred at West Corio Swamp in 1987-88 (8 pairs in 1986-87) and it is therefore likely that some of the Caris Park birds moved to West Corio (the two swamps are less than 15km apart). Numbers breeding at South Perth, Australind and McCarleys were similar in 1986-87.

As in the previous year, an aerial survey of potential egret breeding swamps between Perth and Australind was undertaken. Fifteen wetlands in which egrets were sighted from the air were inspected from the ground and although no further colonies of egrets were found, at least five contained colonies of herons or cormorants and were considered potentially suitable for breeding by egrets.

An aerial survey was also conducted between Hopetoun and Esperance where numerous yate and paperbark swamps were suitable for breeding. However, as in the previous year, few egrets and no egret colonies were discovered in this area.

Results of surveys of northern colonies, such as that at Lake Kununurra, have yet to be returned. As yet no colonies have been found in the 200km north of Perth.

No nest of the Little Egret were identified in 1987-88 but a pair displaying breeding characters was at West Corio Swamp and it is assumed that they bred there. A single Little Egret was seen twice at Australind Egret Swamp though no nest was found. (Previous breeding records are from Australind and Caris Park)

All of our southern egret colonies are threatened. These threats include clearing, drainage, death of vegetation due to artificially high water levels and (at the only protected colony, Australind), by chemical pollution.

As Australia is obliged by international agreement to protect the Great Egret, the RAOU through its programme of waterbird research in W.A., will continue to monitor existing colonies and attempt to discover new ones in the 1988-89 season.

Thanks are due to all RAOU members and others who have contributed information and especially to those who gave time to assist in the field.

Rodney Vervest, Egret Survey Coordinator

LAKE MACLEOD RE-VISITED

The Grey Fantail observed at Lake MacLeod was of the sub-species phasiana. The plumage is somewhat different to the Grey Fantail of the South-West, the song slightly varied and the eggs and nest structure are different. Widely considered to be a different species, the Mangrove Grey Fantail's separate status has not yet been accorded by the RAOU.

The Mangrove Gerygone reported from the Lake MacLeod expedition must be regarded as a doubtful sighting. The Mangrove Gerygone occurs in the Kimberley and while it is apparently spreading southwards, it can be regarded as unlikely that the bird has reached the area of Lake MacLeod.

The report of Australian Raven at Lake MacLeod is incorrect. The birds sighted would most probably have been Little Crows or possibly Torresian Crows.

Editor

VASSE-WONNERUP ESTUARY

RAOU observers have made 80 surveys of the waterbirds using Vasse-Wonnerup Estuary since October 1981. This work has shown that Vasse-Wonnerup Estuary is of international importance for waterbirds, because it regularly supports more than 20,000 waterbirds. Maximum counts in the past four years have been as follows: 15,600 in 1984-5; 33,000 in 1985-6; 28,700 in 1986-7 and 30,000 in 1987-88.

A list of the 77 species recorded at the Estuary (14 of them breeding) is presented with this article. Twenty-one of these species are cited in the Japan Australia Migratory Birds Agreement.

Being close to Busselton and Bunbury, the Estuary is subject to development that may be detrimental to its waterbirds. Current proposals include a canal-based housing estate (as at Mandurah bridge), which would be partly built on waterbird feeding and breeding areas and close to part of the Estuary which is an important refuge for waterbirds in the dry season.

A small portion of the Estuary is in Sabina Nature Reserve, but the rest is in private tenure (grazing, small holdings), or of obscure status. A suitable means of protecting the whole wetland may be to have it managed as a regional park, enabling farmers, waterbirds and tourists to coexist harmoniously.

Efforts are being made to have Vasse-Wonnerup Estuary officially recognised as a Wetland of International Importance under the Ramsar Convention. Successful nomination will ensure greater recognition of the Estuary's importance for waterbirds and (hopefully) better protection of its conservation values. It is a point of embarrassment to W.A. ornithologists that W.A. has not yet nominated any wetlands to be so recognised, despite having at least 10 wetlands that qualify. All other States except Queensland each have several wetlands recognised by the Convention.

A colour brochure was recently produced in order to improve the awareness of local residents, politicians and State authorities of the conservation values of Vasse-Wonnerup Estuary. The brochure was created by Brad Kneebone, Bernie Masters, Roger Jaensch and others, and was sponsored by various donors including the Busselton Naturalists Club and the RAOU. A free copy is enclosed with this issue of W.A. Bird Notes. Members may wish to express their concern for the protection of Vasse-Wonnerup Estuary and its waterbirds, by writing individually to their elected representatives or to relevant State Ministers.

(Note: Public access to the Estuary is limited, but a close approach can be made in the following way: take Laymans Road off Bussell Highway in the Tuart Forest, then take the first bitumen road on the left and zigzag to the dead end within 30 m of the water.)

R. Jaensch

WATERBIRDS recorded by the RAOU at the VASSE-WONNERUP ESTUARY October 1981 to January 1988

SPECIES	HIGHEST NUMBER COUNTED	FOUND BREEDING (*)
Hoary-headed Grebe	150	
Australasian Grebe	50	*
Australian Pelican	750	
Darter	10	
Great Cormorant	60	
Pied Cormorant	212	
Little Black Cormorant	150	
Little Pied Cormorant	130	
Pacific Heron	4	
White-faced Heron	250	
Great Egret	237	
Eastern Reef Egret	1	
Little Egret	2	

Rufous Night Heron	17	
Australasian Bittern	1	
Glossy Ibis	14	
Sacred Ibis	79	
Straw-necked Ibis	500	
Royal Spoonbill	1	
Yellow-billed Spoonbill	130	
Black Swan	1700	*
Australian Shelduck	2570	*
Pacific Black Duck	4200	*
Grey Teal	11900	*
Chestnut Teal	1	
Australasian Shoveler	500	*
Pink-eared Duck	66	
Hardhead	200	*
Maned Duck	100	
Blue-billed Duck	6	
Musk Duck	80	*
Osprey	2	
White-bellied Sea-Eagle	1	
Marsh Harrier	5	
Buff-banded Rail	3	*
Baillon's Crake	1	
Australian Crake	5	
Spotless Crake	2	*
Black-tailed Native-hen	4	
Dusky Moorhen	14	*
Purple Swamphen	15	*
Eurasian Coot	4000	
Painted Snipe	1	
Pied Oystercatcher	1	
Banded Lapwing	5	
Grey Plover	14	
Lesser Golden Plover	24	
Red-kneed Dotterel	2	
Red-capped Plover	785	*
Black-fronted Plover	6	
Black-winged Stilt	5000	*
Banded Stilt	226	
Red-necked Avocet	4000	
Wood Sandpiper	61	
Grey-tailed Tattler	1	
Common Sandpiper	4	
Greenshank	200	
Marsh Sandpiper	8	
Pin-tailed Snipe	1	
Black-tailed Godwit	18	
Bar-tailed Godwit	14	
Red Knot	8	
Great Knot	12	
Sharp-tailed Sandpiper	2300	
Pectoral Sandpiper	3	
Red-necked Stint	2000	
Long-toed Stint	49	
Curlew Sandpiper	1200	
Ruff	1	
Silver Gull	1531	
Whiskered Tern	180	
White-winged Tern	16	
Caspian Tern	15	
Fairy Tern	2	
Crested Tern	25	
Clamorous Reed-Warbler	1	
Little Grassbird	6	
exotic waterfowl	2	

AMC WETLANDS CENTRE, CAPEL

Over the past four years, members of the RAOU have been recording birds at a series of ponds formed by sand-mining at Capel, south of Bunbury. The mining company concerned, Associated Minerals Consolidated, wants to rehabilitate the area as habitat for waterbirds and has asked the RAOU to manage the rehabilitation project.

Rehabilitation will involve re-shaping the steep banks of the lakes into shallow feeding areas, creating an artificial paperbark swamp, re-planting swamp and woodland plants, making floating islands for loafing and nesting areas and erecting nesting boxes. Facilities will be provided for members of the public interested in birds and for people wishing to carry out research at the lakes.

During the next few years there will be ample opportunity for volunteers to assist in the project and I would be pleased to hear from anyone interested in participating. Please write either to the RAOU Office at Canning Bridge or to PO Box 224, Capel, 6271. Phone: (097) 272675.

Ma. Bamford

BIRD OBSERVATORY REPORTS

EYRE BIRD OBSERVATORY

This is our last report as the wardens of Eyre. The next time WA Bird Notes appears it should have the first report from the Broome Bird Observatory, which we will write as the duly appointed wardens. Shifting from Eyre after only one year here leaves us with mixed feelings. It is certain that only the Kimberley could have lured us away so early. The new wardens, when they are appointed, will have our congratulations and support. We know they will quickly learn to love the best place on the Nullabor - just don't neglect the Pygmy Possums.

The PP's are still using the boxes, though their numbers are reducing as the mallees cease blossoming. We are looking for enough time to write up the material we have (with a little help from our friends), to have it ready for the 1986-87 Observatory Report due a little later this year. We have 51 boxes which have been used by nearly 150 individual adults. A good number of females have raised young, with a very high percentage surviving to independence.

One of the useful, although mildly macabre aspects of Observatory life is the opportunity to find, identify and measure the many beachwashed specimens (mainly birds) that come ashore on Kanidal and Wader beaches. The 1987 weather wasn't particularly helpful, with only a few big southerly 'blows' and virtually no storms. Nevertheless, we still managed to have a fairly impressive list. Four Southern Giant Petrels, one Yellow-nosed Albatross, one Rockhopper Penguin, one Little Penguin, two Fleshy-footed Shearwaters, two Short-tailed Shearwaters, two Sooty Shearwaters, one Southern Fulmar, one Slender-billed Prion. In addition we had a Sea Lion, a Loggerhead Turtle and a Bottle-nosed Dolphin. One of the Sooty Shearwaters was taken to the WA Museum for positive identification. It proved to be the first specimen recorded in WA and obtained by the WA Museum. The Rockhopper Penguin, a first for Eyre, found its way to the Adelaide Museum.

The dune rehabilitation work party (which spent its working time being sandblasted) had their reward when they saw a pair of Rock Parrots near Kanidal Beach.

We had a minor influx of Starlings during October and December. We shot three and trapped three, but two escaped. For some time we've had a cat trap which has proved to be a conspicuous failure so far as catching cats is concerned. We decided to give it one last chance and set it up as a Raven trap as part of our banding programme. After little initial success, though we caught a pair of adults in August, our catch rate was on a par with the cats. However, a sudden influx of immature birds in December seemed to give us the opportunity we required. So it proved; within a month we added a further 29 birds (three retraps)

before our supply of suitable bands was exhausted and we had to close the trap.

We have had another Peter Congreve working here as assistant warden over the long vacation. He doesn't look much like his illustrious grandfather (lacking the moustache) but is keen on banding. We have appreciated his help.

There are some really good courses on offer during this year. Here's what you must do. Secure a brochure, (write to EBO or to the RAOU office), study it carefully, then book early for the course of your choice. Give yourself the reward you deserve. Eyre is beautiful, peaceful and full of interest. You aren't being kind to yourself if you fail to visit soon. G. Hooper, B. Wells

WARDENS WANTED

The forthcoming departure of the Eyre wardens for the Broome Bird Observatory results in a need for wardens at Eyre, for short or long-term residence. Any interested person/s please contact Doug Watkins, Tel: 417 2422

BROOME BIRD OBSERVATORY

Broome Bird Observatory will open, all being well, towards the end of March or in early April. Situated on a 2.5 hectare site, it is 20 km from Broome but only 100m from Roebuck Bay.

At the outset the Observatory will consist of two chalets, which have been generously donated by Lord McAlpine. The wardens will occupy one, visitors the other, which will comfortably accommodate four. Provision for camping is to be made as the Observatory and its site are further developed, a process likely to take some two years. The site is vested in the Department of Conservation and Land Management who have leased it to the RAOU.

In the migratory season Roebuck Bay can shelter up to 50,000 waders which promises to make weekly beach counts interesting. Some 3 km from the Observatory are mangroves and their specialised habitat should provide for different bird observing when the wader counting palls.

Costs of visitor residence are not yet finally determined but should be similar to those of Eyre.

The Observatory already has basic furniture, crockery, cutlery etc. but should you have any household items which you believe may be of value in Broome, please contact Doug Watkins, through the RAOU office.

NATIONAL PARKS SURVEY

Thank you for the many cards sent in for this Survey.

The Data Bank Program is established and all data received so far has been entered. The Sunday Times recently featured our Program in its "Electronic" section.

Sixty-seven cards listing over 2000 sightings in 31 National Parks have been received. The Porongorups National Park has been the most surveyed, with 12 cards received. We are recording reasonably recent lists from National Parks even though they were compiled prior to the beginning of the National Parks Survey.

The stored information can be recalled as a list of birds sighted in a Park during a nominated time span or as the number of times a species is sighted. This can be compared with the number of cards entered and a relative ease of sighting determined. The Program also allows the recall of the specific sightings of each species within a given time span.

Di Beckingham has recorded more birds from more Parks than anyone else to date and Rod Smith has visited Parks from Esperance to Kununurra.

Within the next two weeks all cards received should be acknowledged and replacement cards sent. It is hoped to fulfil this task weekly in future.

Please maintain your support with a steady flow of cards.

C. Napier

PALLID CUCKOO PROJECT (PCP)

The Bicentennial Year seems a good year in which to carry out a new survey of the hearings and sightings of the Pallid Cuckoo in Western Australia.

Such a survey was conducted in 1949 and again in 1950 and reported in the WA Naturalist. Based on the pattern of calls heard and/or sightings a suggestion was put forward regarding the pattern of arrival and distribution of the Pallid Cuckoo throughout WA.

In 1949, the earliest call/sighting was in June, the 3rd and in 1950, April 10 was given as the first report. I hope, with your help, to duplicate the 1949 survey and compare the results.

Serventy & Whittell (1976) refer to the movements of the Pallid Cuckoo as "obscure" (p 293) and say the song is "first heard in the Perth district.....about the end of May, or beginning of June" (p 293).

I should be grateful if all birdwatchers would let me know of the dates and places of their hearings or sightings of a Pallid Cuckoo in 1988. One report only is requested from each place/area. Should you visit another location and hear/see a Pallid Cuckoo, another date/place report would be appreciated.

Please send your date/place/hearings/sightings to the RAOU office, endorsed PCP, or telephone my work number (09) 350 7060 with information.

While this edition of WA bird Notes may be a rather early notification, the June issue will probably be too late. So please help remove some of the obscurity about Pallid Cuckoo movements and keep the PCP in mind when you hear/see PC's in each location in 1988.

Write to the RAOU office or telephone my office. B. Buchanan

Reference: Serventy D.L., & Whittell H.M. (1976) Birds of W.A., UWA Press, Perth.

REVIEW

WHAT BIRD CALL IS THAT: A Review

What Bird Call is That consists of two cassette tapes and a 128 page booklet.

The first tape gives a general introduction to bird song, introducing 75 different birds and their calls with some comment on their most usual habitat. The second tape simply announces each bird and gives an extended sample of the call of each.

The accompanying booklet has a useful introduction on the purposes of bird song and a section on each of the 75 birds with a short though good introductory text, giving distribution, field marks of similar species, behaviour and nesting/breeding information. The booklet is compiled by the National Photographic Index of the Australian Museum and not surprisingly therefore, has first class photographs throughout. In some cases both male and female bird photographs are used, but not in all. The package is based on SE Australia. The birds chosen are the most "frequently heard bird calls of Australia's South-Eastern margin" (p 13). However, 48 of the birds are to be heard in Western Australia.

The whole is attractively presented in a plastic case and the quality of the tapes and the accompanying booklet is high.

It is not easy to grasp for which market the package is designed. Probably not for the 'man in the street', who may find words in the text like 'ubiquitous' and 'exacerbated' out of reach. Some 'technical' knowledge is assumed - wet sclerophyll forest is mentioned and Spotted Pardalotes "feed mainly on lerp" (p 44). The informed birdwatcher however is unlikely to want recordings of Silver Gull, Willie Wagtail, Black Swan and Australian Magpie to assist

identification. The most likely target seems to be a beginner who wants more information on birds, especially of calls.

Despite this, even experienced bird watchers unfamiliar with calls (such as, for example, Jacky Winter, Stubble Quail or Cicadabird), will find the kit useful. Bird calls are a vital ingredient in identification.

Some of the calls are not as useful as others. The call of the female Pacific Black Duck is that most often heard at wetlands, rather than the male which seems to be recorded here. The Musk Duck whistle given is not the far carrying 'mating' call so often heard at wetlands during the breeding season, and the familiar Red Wattlebird 'chok' is not recorded.

The variation of colour of the breast of the Sacred Kingfisher is attributed to age, wear or fading. This seems to follow The Readers Digest Complete Book of Australian Birds (1979) which refers to wear or fading. Fading seems inherently unlikely - for example why does the breast fade and not other more exposed plumage. Pizzey (1980) states the colour variation is seasonal.

The incubation period of the Whistling Kite is stated as unknown. Hollands (1984) states (on the basis of one nest) 40 days.

Popular names are used but only eight differ from RAOU usage, five by omitting words (e.g. Common from Skylark and Australian from Magpie-lark. The only Gerygone, White Throated, is stated as Warbler).

The package which sells for about \$40 at present is well worth investigating.

References:

1. Hollands D., (1984), Eagles Hawks and Falcons of Australia Thomas Nelson Australia, Melbourne.
2. Pizzey G. & Doyle R., (1980), A Field Guide to the Birds of Australia, William Collins, Sydney.
3. Readers Digest Complete Book of Australian Birds (1979) Readers Digest Services Pty. Ltd., Sydney.
4. Lindsey T.R. (1987), What Bird Call is That, Angus & Robertson, NSW.

NOTICES

Correction - to December 1987 WA Bird Notes No. 44

P2 first column, para 2 headed Discussion, reports 3270 Large Sand Plovers at Shark Bay. This should read, as the table correctly indicated, 373.

P5 first column records the sighting of 2000+ Flock Bronzewing. The area should read Camballin, the observer DK.

OFFICE BEARERS 1988

At the Annual General Meeting of the WA Group, the following office bearers and committee were elected:-

Chairman	- Geoff Shannon	Committee Members
Vice-Chairman	- Ros Denny	Bruce Buchanan
Treasurer	- Clive Napier	Peter Curry
Secretary	- Judy Jenkins	Barbara Hale
		Allan Jones
		Ian Stranding
		Brian Wilson

BIRDS OF THE SOUTH-WEST ESTUARIES.

Information wanted

Ernest Hodgkin and Ruth Clark are asking all birdwatchers who visit any of the estuaries between Augusta and Esperance (excluding the Hardy Inlet) to report on the species of waterbirds and their numbers which are observed using the estuaries. Any recorded information on the estuaries in the last five years would be welcome, as well as observations which may be made in the future.

The information will be published in Reports on each of the estuaries. Contributions will be most appreciated. Hodgkin & Clark can

be contacted on 09 386 7895 during working hours or information can be addressed to Dr E.P. Hodgkin, 4th Floor, Environmental Protection Authority, 1 Mount Street, Perth, 6000.

The first Report, on the Wellstead Estuary at Bremer Bay has already been published. The second, on the Nornalup-Walpole Estuary is nearing completion and any information on it should be sent in as soon as possible. Your contribution can be of valuable assistance in the conservation, management and protection of the SW estuaries.

ART EXHIBITION

The 1988 Art Exhibition will be held at the Concert Hall from Thursday 28 July to Wednesday 3 August, 1988. The WA Group Chairman will open the Exhibition and all members are invited to attend.

Application forms for entering paintings will be available at Canning Bridge from March 1st. Further details will be given in June WABN.

REQUIRED: Volunteers prepared to assist with the Art Exhibition are being sought. Contact Clive Napier, 332 7265 before 14 March.

BIRDING SITES AROUND PERTH

We have received notice from the RAOU, Melbourne, that 'Birding Sites Around Perth' will be available for sale in Western Australia in April. Price: \$8.00

HOW TO ATTRACT BIRDS TO A WA GARDEN

Brian Wilson has written a booklet on attracting birds to gardens. The booklet will be issued free to all subscribers to WA Bird Notes with the March 1988 issue. Copies will be on sale at the RAOU office, Canning Bridge at 50c each (collected) and \$1 (posted). Thanks are due to Lee Whisson for help with the drawings.

UNCLAIMED MONIES

The RAOU office is holding \$29 which appears, in part, to be for a Playhouse Theatre ticket, possibly of up to three years ago. Any person who believes they have a claim to the money should contact the office. If unclaimed the money will be put into the RAOU WA Group funds.

RAOU BIRDING HOTLINE 364 7349

During December we had some trouble with the recorded tapes but the hotline is again fully operational. We hope that the sightings recorded will encourage people to go to see the birds, especially if they haven't seen a species before.

Please report anything of interest to Ian Standring (387 7326-home) or Steve Keeling (291 9561). The hotline is also used to announce regular outings or meetings, special events (e.g. the art exhibition), sites where a particular species may be seen and the best birding spot at the moment.

AVICULTURAL BIRD SHOW

The Avicultural Society of WA (Inc) will hold its Annual Bird Show at the Pagoda Ballroom, Melville Parade, Como on Saturday 23rd, Sunday 24th and Monday 25th April 1988.

The times of opening on the three days will be Saturday and Sunday, 10am - 6pm and on the Monday 10am - 5pm.

The display will be of birds from members' breeding aviaries and will provide an opportunity for seeing familiar and unfamiliar birds at a closer range than even the best binoculars can provide.

In addition to refreshments being available, plants, books, pictures and photographs will be for sale.

Cost of admission is \$3, pensioners and children half price.

TELEPHONE CONTACTS

should you see/capture any of the following:-

Banded Budgerigar	349 6823
Banded Pigeon	294 4132 Mr Trumper (a h)
	459 4914 Mr/Mrs Snumaker (if urgent)
Cage Birds	361 3296 Avicultural Society
Fancy Pigeons	271 6386 Whatley Racing Pigeon Club
Injured Birds	364 6463 Barbara Porter
	405 5555 (w) 4 Bedford Road, Ardross
Sick Birds	276 6444 Fauna Rehabilitation Foundation

MEMBERS CONTRIBUTIONS

KINDRED SPIRITS

In hot weather I suffer from hot feet. So on 23 January, a day when the temperature reached 34C, you can imagine the fellow feeling I had for an Osprey that I saw standing in the water at Alfred Cove. As I stood watching it, I found I was standing on an ant's highway, and, when I moved the Osprey flew away.

As it flew low across the water, it trailed its feet therein for quite a distance and as it gained altitude it was chased by three Black-winged Stilts for a short time as it headed towards Point Waylen. I headed in the same direction and near the iron angle (favourite perching place for Little Pied Cormorants) I saw the Osprey standing in the water up to its thighs. Its belly feathers were not in the water but the ends of the wings and perhaps the tail were in the water.

J. Donohoe

ROUND AUSTRALIA - W.A. SECTION

Reflecting upon a recent four month trip round Australia with over 400 species seen, it is difficult to select the highlights, because, from a birding viewpoint, they were so numerous. Not having been further north than Broome previously we were looking forward to seeing new species as well as enjoying familiar birds.

At Monkey Mia it was hard to leave the beguiling dolphins, but several hours birding yielded over 60 species. These included Chiming Wedgebill, Grey-crowned and White-browed Babbler, as well as Southern Emu-wrens, Splendid, White-Winged and Blue-Breasted Fairy-wrens, Red-throats and Calamanthus.

On 4 May we camped at Nanutarra on the beautiful Ashburton. Here it was pleasant to see Rainbow Bee-eaters which were numerous for the rest of the trip until we left Queensland many weeks later. Flocks of Cockatiels and Budgerigars gave opportunities for excellent viewing.

A stop at the De Grey River did much to alleviate the effects of the rather dreary landscape thereabouts. Here we found our first Pheasant Coucal in the trees about 5 metres above us. Flocks of Fairy Martins were hawking and closer inspection revealed large colonies of their mud nests under the bridge. Diamond Doves and Peaceful Doves were also quite numerous.

Later that day we arrived at Eighty Mile Beach Caravan Park - it even had power! On the way we passed 24 dead Spotted Nightjars along the roadsides - probably victims of vehicles. As well as Brahminy Kites we saw Great Knots, Bar-Tailed Godwits, Grey Plovers, Sharp-tailed Sandpipers, Red-necked Stints and a Terek Sandpiper. Several Lesser Crested Terns seemed at home on the beach.

During several days at Broome we spent a day at Roebuck Bay and Crab Creek to see waders. It was good to see 150 Eastern Curlews, 200 Whimbrels and 250 Bar-tailed Godwits. Late migrants? There were also small flocks of Red-necked Stints and several Terek Sandpipers and Sooty Oystercatchers.

We camped at Willare on the Fitzroy River south of Derby; it was hot. It was a delightful oasis in the heat, and we found over 30 species

in a short time, including Grey-headed and Grey-fronted Honeyeaters, Great Bowerbirds and Red-tailed Black Cockatoos. Black Kites were numerous and we saw three Square-tailed Kites, Little Cuckoo-shrikes and Double-barred Finches.

By the time we reached Geike Gorge on 16 May, our expectations of new species were heightening. In fact, I was unashamedly "twitching". When I collected the bird list from the Ranger he asked if I knew that the Purple-crowned Fairy-wren had been found there. I didn't know but assured him that I would become resident for as long as it took me to find it. At Geike Gorge we met knowledgeable 'birdos' Dawn and Roger Thompson from the U.K. They were also determined to find the fabled wren. A fruitless, or wren-less afternoon left me somewhat dejected but determined to resume my quest at first light. At dawn the next day I began thinking to search every Pandanus Palm in the Gorge if need be. After an hour I heard wren sounds, but not from a Pandanus. Among the wild passionfruit vines I saw a pert, blue tail. But which wren? Twitching uncontrollably, I inched into the undergrowth and froze. Two wrens - a flash of lavender and black in the sunlight - and there, unbelievably they were - a glorious male and his chestnut-faced mate. Terrified that they would flit, I tried not to breathe and was becoming as purple-faced as the purple-crowned head when I realised that the birds were quite unperturbed by my presence. I was able to relax and watch them for the best part of an hour. They flitted from vine to vine and into the low canopy, but never more than a few metres from where I first saw them. Rare jewels, I felt honoured to have had the privilege of seeing them. On two subsequent days I saw two other groups of females and juveniles but never again the exquisite male.

It was with extreme reluctance that we left Geike Gorge, even with the lure of a flight over the Bungle Bungles and the promise of avian wonders further afield.

Kununurra was a birder's paradise. The elegant Comb-crested Jacanas, Great Bowerbirds, Red-winged Parrots, Red-browed Pardalotes and Northern Rosellas were only a few of the numerous and more common species. The lovely Crimson, Star and Long-tailed Finches and Chestnut-breasted Mannikins adorned the reeds like exotic foliage.

The enormous numbers of raptors in the north amazed us. The most common were the Black Kites and Whistling Kites, but the number of Square-Tailed Kites was high. At the Research Station at Kununurra we saw over 250 kites on a newly ploughed field. We had trouble not running over the dozens of Australian Pratincoles in the area, too. Our first sighting of the splendid Black-necked Stork was near Lake Argyle on the Ord River. They were sharing a tiny island with three Johnstons crocodiles.

N. Duff

NOTES FROM DERBY

November/December 1987

With the Wet approaching both flora and fauna are responding to raised humidity. Boabs and coolabahs have fresh growth on bare limbs and baumias sport new tan and lettuce green foliage - a visual, cool relief to the yellow grasses and dust.

The Dollarbird arrived at Derby several weeks ago and also at Christmas Creek, while areas north of Kununurra were a few weeks earlier. The Common Koel started calling on November 24. Two Barn Swallows were sighted on November 21-22 at Derby town and eight at Visiting the Lake on 30 January I was therefore surprised to see a Great Crested Grebe with a 'striped' immature accompanying it. (First sighting of this bird in the district) The other prominent feature was 52 Great Egrets and 10 Yellow-billed Spoonbills in the melaleuca together with 10 Little Pied Cormorants and 18 Little Black Cormorants. Australasian and Hoary-headed Grebe, Pacific Black Duck, Musk Duck, Australasian Shoveler and Shelduck and Eurasian Coot were in the water.

While sorting out the Great Egrets from the Yellow-billed Spoonbills I noticed, gliding swiftly overhead, what appeared to be a falcon. This it was, a Peregrine Falcon, which plunged suddenly and

swooped across the Lake surface. With hard wing strokes it hurtled at a Hoary-headed Grebe, which dived at the critical moment. The Peregrine Falcon swiftly turned round at the Lake edge and hurtled back causing the Eurasian Coots and other grebes to dive.

The Peregrine Falcon passed by and over the fringe of Great Egrets, Yellow-billed Spoonbills, Little Black and Little Pied Cormorants twice. On the first pass the Little Pied Cormorants made a croaking noise and dropped into the water, the Little Black Cormorants also 'croaked' and raised their wings. Impressive however, was the response of the Great Egrets and Yellow-billed Spoonbills, for all raised one wing in the air, the Great Egrets giving vent to their croaking 'alarm' call. On the second pass the Great Egrets and Yellow-billed Spoonbills all repeated their performance, except the Little Black Cormorants which dropped into the water.

Interestingly, although the Peregrine Falcon has a popular name of Duck Hawk, its presence appeared not to disturb the Pacific Black Ducks and Australasian Shoveler except that they gathered more closely together.

B. Buchanan

NALLAN STATION — CUE

Nallan Station lies in the arid zone of the Gascoyne region 11 km north of Cue on the Great Northern Highway. Vegetation is predominately Mulga with occasional River Gums fringing creeks. Nallan also boasts a freshwater lake with adjacent claypans.

I visited Nallan in late October and spent a very pleasant week birdwatching in which I observed 75 species. Birding highlights included Oriental Plovers, Marsh Sandpipers, Australian Pratincoles, Bourke's Parrots, Grey Honeyeaters and Spotted Bowerbirds.

Anybody visiting the Murchison Goldfields should consider a stopover at Nallan to enjoy the varied habitat available for birdwatching. A full species list with distribution notes etc. is at the RADU office if required.

J. Boughey

PEREGRINE FALCON AND WATERBIRDS

Football Lake is a permanent lake near the east boundary of Gingin Shire. Roughly circular, it has a diameter of about 275 metres. The Lake proper is surrounded by melaleuca and little breeding occurs there. Being permanent, the Lake is mainly a dry season refuge.

Visiting the Lake on 30 January I was therefore surprised to see a Great Crested Grebe with a 'striped' immature accompanying it. (First sighting of this bird in the district). The other prominent feature was 52 Great Egrets and 10 Yellow-billed Spoonbills in the melaleuca together with 10 Little Pied Cormorants and 18 Little Black Cormorants. Australasian and Hoary-headed Grebe, Pacific Black Duck, Musk Duck, Australasian Shoveler and Shelduck and Eurasian Coot were in the water.

While sorting out the Great Egrets from the Yellow-billed Spoonbills I noticed, gliding swiftly overhead, what appeared to be a falcon. This it was, a Peregrine Falcon, which plunged suddenly and swooped across the Lake surface. With hard wing strokes it hurtled at a Hoary-headed Grebe, which dived at the critical moment. The Peregrine Falcon swiftly turned round at the Lake edge and hurtled back causing the Eurasian Coots and other grebes to dive.

The Peregrine Falcon passed by and over the fringe of Great Egrets, Yellow-billed Spoonbills, Little Black and Little Pied Cormorants twice. On the first pass the Little Pied Cormorants made a croaking noise and dropped into the water, the Little Black Cormorants also 'croaked' and raised their wings. Impressive however, was the response of the Great Egrets and Yellow-billed Spoonbills, for all raised one wing in the air, the Great Egrets giving vent to their croaking 'alarm' call. On the second pass the Great Egrets and Yellow-billed Spoonbills all repeated their performance, except the Little Black Cormorants which dropped into the water.

Interestingly, although the Peregrine Falcon has a popular name of Duck Hawk, its presence appeared not to disturb the Pacific Black Ducks and Australasian Shoveler except that they gathered more closely together.

B. Buchanan

THE YEAR 1987 IN REVIEW

Information wanted

Many birdwatchers regularly look for birds in the same area/s. After a while impressions are formed about the birding situation in the area and how it compares with previous visits. Now 1987 is passed you are asked to send in contributions, non-quantified, about your impressions of 1987 in comparison with previous years in an area with which you are familiar. If you have numerical evidence so much the better, but do not be deterred by its absence.

Please write, fairly briefly, about

- (a) bush birds,
- (b) waterbirds,
- (c) waders and
- (d) raptors (if your area has them all).

Nominate your area and cover, the numbers in 1987 up or down, any unusual concentrations of birds, notable absences of species or an unusual bird matter worthy of comment. Please make your contribution to the general picture of WA birds 1987.

Write to, 1987 Review, RAOU Office, 30/15 Ogilvie Road, Canning Bridge 6153 before 22 April 1988 (deadline for copy for the June WA Bird Notes).

EXCURSION REPORTS

TWELVE HOUR COUNT (TWITCHATHON) - 1 November

It was good to see so many people participating in an event which is essentially light-hearted. There were nine "official" teams but there were also other people here and there who were entering into the spirit by conducting their own counts. Top twitchers were spread round the teams to prevent the formation of a team of 'super twitchers'. The venue for dinner after the event was well received but being the busiest time of day at the eating house, presentation of prizes in any sane manner was impossible.

Participants were required to visit three nominated sites but otherwise were free to go anywhere.

The three nominated sites were:-

- Herdsmen Lake:** (H) with both shallow and deep water, large areas of bulrush (*Typha* sp), parkland and lawns, weeds and grass and eucalypt saplings, farmland, paperbarks and Flooded Gums.
- Woodman Point:** (W) sandspit and rocky groyne, low coastal vegetation, beach.
- Helena Valley:** (V) open forest of Marri, Jarrah and Wandoo with farmland borders.

Species recorded at the three nominated sites, H, W and V were:-

Great Crested Grebe	H	Silver Gull	H W
Hoary-headed Grebe	H	Caspian Tern	W
Australasian Grebe	H	Crested Tern	W
Australian Pelican	H	Feral Pidgeon	W V
Australasian Gannet	W	Spotted Turtle Dove	W
Pied Cormorant	W	Laughing Turtle Dove	H W
Little Pied Cormorant	H W	Galah	W V
Great Cormorant	H W	Rainbow Lorikeet	H
Little Black Cormorant	H	Red-capped Parrot	V
White-faced Heron	H	Port Lincoln Ringneck	V
Great Egret	H	Horsefield's Bronze-Cuckoo	V
Little Bittern	H	Shining Bronze-Cuckoo	V
Straw-necked Ibis	H	Laughing Kookaburra	V
Black Swan	H	Sacred Kingfisher	V
Australian Shelduck	H	Rainbow Bee-eater	W V
Pacific Black Duck	H V	Welcome Swallow	H W V
Mallard	H	Tree Martin	H

Grey Teal	H	Richard's Pipit	H W V
Australasian Shoveler	H	Black-faced Cuckoo-shrike	H W V
Hardhead	H	Scarlet Robin	H V
Maned Duck	V	Rufous Whistler	H W V
Blue-billed Duck	H	Grey Shrike-trush	H V
Musk Duck	H	Grey Fantail	W V
Brown Goosehawk	W	Willie Wagtail	H V
Little Eagle	V	Clamorous Reed-warbler	H
Marsh Harrier	H	Little Grassbird	H
Australian Kestrel	V	Splendid Fairy-wren	W V
Dusky Moorhen	H	Variegated Fairy-wren	H V
Purple Swamphen	H	Red Winged Fairy-wren	H V
Eurasian Coot	H	Weebill	W V
Pied Oystercatcher	W	Western Gerygone	W V
Sooty Oystercatcher	W	Inland Thornbill	V
Grey Plover	H	Western Thornbill	V
Black-fronted Plover	H	Yellow-rumped Thornbill	V
Large Sand Plover	W	Red Wattlebird	H V
Red-capped Plover	W	Singing Honeyeater	H
Black-winged Stilt	H	White-napped Honeyeater	V
Ruddy Turnstone	W	Brown Honeyeater	H V
Whimbrel	W	New Holland Honeyeater	V
Wood Sandpiper	H	Western Spinebill	V
Grey-tailed Tattler	W	Spotted Pardalote	V
Common Sandpiper	W	Striated Pardalote	W V
Bar-tailed Godwit	W	Silvereye	H W V
Red Knot	W	Red-brood Firetail	V
Great Knot	W	Chestnut-breasted Mannikin	H
Red-necked Stint	W	Australian Magpie-lark	H V
Curlew Sandpiper	W	Dusky Woodswallow	W
Sanderling	W	Grey Butcher Bird	W V
Arctic Jaeger	W	Australian Magpie	H W V
		Australian Raven	H W V

Overall Winners: David James, Bryony Fremlin, John & Helen Start (112) species)

Most species at Herdsmen Lake: Allan & Rose Jones, Joy Fleay, Clare Mercer, Mandy Barnford (37 species)

Most species at Woodman Point: Barbara Hale, Ros Denny, Frieda Jacobs, Nora Brockman (34 species)

Most species at Helena Valley: The Jones team (35 species)

The overall winners won a telescope as a perpetual trophy which will be inscribed with their names. The names of the winning teams from the past years will be added.

'Best' sightings: Little Bittern (Bill Mac Roberts & Chris, an English visitor). Long-toed Stint and Gull-billed Tern (John Hansen, Peel Howden, David Fisher, Johnathan Rippey).

'Stingiest' record: Hard to judge but awarded to Bill MacRobert's team for almost marking Bourke's Parrot on the card instead of Elegant Parrot.

Prizes of car stickers, National Park checklist cards etc were liberally dispensed to these winners.

During the twelve hours 157 species were identified with three teams sighting more than 100 species. The average was (a very good) 91 species per team. Other interesting highlights were two Cattle Egrets at Lake Joondalup, Little Bittern and Wood Sandpiper at Herdsmen Lake, Osprey, White-bellied Sea Eagle, Gull-billed Tern and Eastern Curlew at Peel Inlet/Mandurah, Large Sandplover, both species of knot, Whimbrel and 35-40 Sanderlings at Woodman Point. White-browed Babbler, Restless Flycatcher and Mulga Parrot between Beverley and Perth. Only two teams recorded Golden Whistler, one team Black-shouldered Kite and one team White-fronted Chat.

L. Standring

WOODANILLING - 14-15 Nov 1987

As news of the immensely successful 1983 and 1984 Spring Campouts to this area had spread far and wide, it was not surprising that this return visit saw more than twenty people with eager expectations set up camp on the Woodanilling Sportsground. Several members of the Central South Naturalists Club joined us.

Again Ray Garstone's energetic leadership, local knowledge and nest-finding skills were at their best - of 56 species recorded, at least

33 were seen at nest sites or feeding young.

Among the adult birds seen sitting on nests were a Collared Sparrowhawk, a Brown Goshawk, Common Bronzewing, White-winged Trillers, Golden Whistlers, Rufous Whistlers and Restless Flycatchers. We were intrigued by the small neat nests characteristic of Jacky Winters, Varied Sittellas and Grey Fantails. The observation of three well-concealed nests of Western Gerygones and a Mistletoebird's nest were an added fascination. Nests of the Scarlet, Red-capped and Western Yellow Robins were also noted and a fluffy white chick could be seen high up on a Little Eagle's nest in a Morrel tree. All of the above were seen in the Wandoo Woodland on the local golfcourse, which is also a favorite haunt of Regent Parrots.

On Sunday we drove out to a reserve on Bibiking Road and saw a Blue-breasted Fairy-wren's nest with one chick in it. Calamanthus were also heard and seen here in the low shrubs.

Undoubtedly the most unusual sighting was that of a white plumaged Black-faced Woodswallow (a mutation), which was flying in the company of others of the species. This bird had been observed by a local farmer's wife in the Cartmesticup Road area and we were amazed to watch it as its striking white plumage contrasted with its dark eye and pale blue bill. All saw it so there was not a sceptic left to question the extraordinary phenomenon!

On the return to Perth some broke the journey at the old bridge in Williams and found a profusion of birds, including a Restless Flycatcher on its nest in the pine tree above the picnic tables. Just another weekend's birding!

D. Beckingham

Lake Forrestdale — 10 January 1988

About 15 people gathered at Moore Street on the northern side of Lake Forrestdale at 8am to meet excursion leader David James. The water level in the lake was such as to provide extensive muddy shallows, commencing at the fringing Typha stands. We were immediately impressed by the large numbers of ducks present (estimated by David at 6,000), which included good numbers of Pink-eared Duck and Australasian Shovelers as well as abundant Pacific Black Duck and Grey Teal. Many Black-winged Stilt were feeding in the shallows and we obtained excellent view of Red-necked Avocet.

David lead us along the northern shore of the lake where several Crakes were seen moving about along the edge of the Typha. We were treated to the sight of Spotless, Australian and Baillon's Crakes all visible together, virtually within the field of view of a pair of binoculars!

Seven species of trans-equatorial migratory waders were observed on the mudflats. These included about 20 Wood Sandpipers and three Long-toed Stints. Good views were also to be had of Sharp-tailed and Curlew Sandpipers. Many Red-capped Plovers were present.

Walking along the muddy shoreline of the lake proved an interesting experience, with several members achieving intimate contact with the lake surface!

After a short break we moved to the western side of the lake to view the big groups of ducks resting there and several Marsh Sandpipers were also observed.

An impressive tally of 34 species of waterbirds was observed during the excursion. Later in the day David revisited the lake to complete a waterbird count and added Yellow-billed Spoonbill and Rufous Night-Heron, taking the total to 36 species. The number of individuals was over 11,000. This was a most interesting day, due to the abundance of birdlife on this important reserve and David's intimate knowledge of the lake and its birds. Our thanks go to David for so ably leading the group.

P. Wilmot

PUBLICATIONS

YOU CAN BUY THE FOLLOWING ITEMS at the RAOU Office, Room 218, first floor, 15 Ogilvie Rd, Canning Bridge 6153, W.A. Don't forget to add the cost of postage and packing if you are not calling to pick up purchases. Items are usually available for purchase at RAOU meetings and excursions.

This arrangement provides a service for members and much needed funds for the Group.

* The Atlas of Australian Birds (produced by the RAOU: shows distribution of bird species)	\$49
* overlays for the Atlas	\$6
* Methods for Censusing Birds in Australia-1982 (produced by the WA Group, RAOU)	\$5
* Report of the Middlesex Study Centre	\$5
* WA Bird Report 1982	\$5
* A Pocket List of Australian Birds (a handy checklist; produced by Canberra Ornithologists Group)	70c
* RAOU check list of Birds of WA	\$1 for 10
* A Field Guide to the Birds of Australia, by G. Pizzey (1985 reprint, paperback; small format)	\$19
* The Birds of Australia, by Simpson & Day (1984, large format; text and plate facing each other)	\$30
* Every Australian Bird Illustrated (large format; 563 colour photos)	\$22
* In Quest of Bower Birds, by N. Chaffer (large format; text and photographs of all species)	\$26
* A Field Guide to the Birds of WA by Storr & Johnstone (WA Museum 1985 edition; solely birds of WA)	\$15
* The Birdlife of Rottnest Island, by Saunders and de Rebeira (1985; text; colour plates; maps)	\$8
* Eyre Bird Observatory: Report 1981-83	\$5
* RAOU Calendar 1988	\$10
* Bird-call tapes (3 choices; mostly WA birds; announced version)	\$10
* Western Australian Bird Notes	\$2 per issue
* New Colour Guide to Hong Kong Birds by Viney & Phillips	\$13
* Shorebirds, by Hayman, Marchant & Prater	\$49
* The Slater Field Guide to Australian Birds	\$28
* The Great Australian Birdfinder by Michael Morecombe	\$55
* Shorebirds in Australia, Brett Lane	\$45
* Birdlife of Murdoch, ed. B.D. Porter	\$5
* Birds of Australia Logbook, Simpson & Day	\$11
* The Shorebirds of Australia, Nat. Photo. Index	\$60
* The Seabirds of Australia, Nat. Photo Index	\$55

If you have suggestions for titles that we could obtain, please give details to the WA Office. Please bear in mind that the WA Group is reluctant to spend money on bird books that do not sell readily.

Also, few local publishers or distributors are prepared to offer a discount on bird books. Consequently our choices are rather limited.

Other Items for Sale (bold u/l case)

RAOU Emu badges	\$3
RAOU ties (Navy blue or maroon)	\$15
Rottnest badges	\$2
Cards, packs of 8	\$5
Key rings - in box	\$4
unboxed	\$3.50
Car stickers	\$1.50
How to Attract Birds to a W.A. Garden	50c (or \$1 posted)

Videos for hire from RAOU office

The Language of Birds	World of Birds Osprey
Short-eared Owl	Seabirds
The Masterbuilders	The Petersfinger Cuckoos
Kingdom of The Lyrebird	The Secret Reeds
COST \$5 each plus postage	

ADVICE FOR CONTRIBUTORS

The Editor of WA Bird Notes would like to ask those contributing written material for publication, to note the following points:

- * copy concerning Western Australian birds may be published copy will not normally be considered in respect of bird sightings etc. outside W.A.
- * copy should be typed or legibly written with double spacing.
- * text should be paragraphed, preferably containing not more than four or five sentences;
- * careful attention ought to be given to use of upper and lower case letters: e.g. 'a flock of unidentified cormorants', or 'a flock of Great Cormorants'.
- * a suggested method for recording dates and localities is, e.g. '11 May 1984, seven km SW of Moora' (i.e. spell out one to nine, then use figures).
- * use the RAOU recommended English names for Australian birds: these are given in a pocket list available at the WA Office.

DEADLINE FOR CONTRIBUTIONS
22 April, 1988

COMING EVENTS

EXCURSIONS are usually held on the second weekend of the month on either the Saturday or Sunday. Some of the 1988 excursions will be to National Parks. The RAOU and CALM have agreed upon a National Parks project whereby individuals and/or groups are asked to compile a bird list each time a National Park is visited. Any members willing to show beginners (members of the public, juniors, new club members) around their metropolitan bird site please contact Ian Standing on 387 7326 (home).

Have country members any suggestions for outings in their areas?

MEETINGS are generally held on the fourth Monday in the month. (NB There will be no meeting in April but two in May- 2 and 30.

Monday 28 March - Meeting

Herdsmen Lake Wildlife Centre: 8 pm
Topic, "Banding" Perry de Rebeira

Saturday 9 April - Day excursion

Avon Valley National Park

The National Park is now bigger than formerly as areas of land have been added. Marri and Jarrah with patches of Wandoo. Moderate walks with a steep and strenuous return climb from the river bed for those who explore the birdlife there. Some parts of the Park are little known. Meet at 8.30 am in Morangup Road (formerly Fergus Road) which is the main turnoff to the National Park from Toodyay Road about 5 km passed Bailup (travelling from Perth). Well signposted.

Sunday 17 April - Half day excursion

Metro walk, beginners outing. Meet at Hawkins Park on the western wide of Lake Joondalup at 2 pm

Monday 2 May - Meeting:

Herdsmen Lake Wildlife Centre: 8 pm

"Amateur Research, how, what and where". Various members will discuss how to undertake personal research, what there is to do and its publication. Also Eric McCrumb of the WA Gould League will tell us something about the work of the Gould League.

Saturday 7 May - Half day excursion

Kelmscott Scarp. Open forest of Marri and Jarrah with understorey of Acacia sp. etc in a transition area between scarp and plain. Easy to moderate walks. Meet at 8.30 am in Mills Road East, Martin, about 2.2 km along this road after the turnoff from the Beechboro Gosnells Highway. There is a quarry on the right. If you pass the overhead power lines, or further on, Cohunu Wild Life Park, you have gone too far.

Leader: Greg Marston

Saturday 21-Monday 23 May - Campout

Billycatting Nature Reserve and Mt Stevens.

Billycatting is in the Kununoppin-Mukinbudin area. Interesting drier-country birds. Self sufficient camping. For further details on directions, meeting times etc. Phone Diane Beckingham, 381 9035 weekdays 5 pm to 8 pm.

Monday 30 May - Meeting

Herdsmen Lake Wildlife Centre 8 pm

Birding round Australia, a zoo-geographical view. John Hansen will talk about his recent trip across the top of Australia and discuss the various habitats and their bird life.

Sunday 12 June - Day excursion

Rottne Island

Seabirds on outward and return journeys: seabird watching from the cliffs on the Island. If seabirds are few we shall look at the salt lakes, golf course, etc. Check ferry departure times and fares closer to date. Leader: Steve Keeling

Monday 27 June - Meeting

Herdsmen Lake Wildlife Centre 8 pm

"Yanchep Banding Programme Results" Geoff Shamon will present some of the results of the first six years of the banding project carried out in the Yanchep National Park.

Future Activities - Subject to confirmation

July 10 - Excursion - Bird banding, Yanchep National Park

July 25 - Meeting - Topic: probably Seabirds

August 13-14 - Excursion - Seabirds

August 22 - Meeting: Topic: Birds of the Arid Zones. Peter Curry

September 10-11 - Excursion

September 24-October 1 - Campout: Nallan Station. Contact Ian Standing, Ph. 387 7326 (h) for details.

September 26 - Meeting - Topic: Journal Club

October 8-9 Excursion

October 24 - Meeting - Topic: Penguin Island and its birdlife.

Speaker, Nick Dunlop

November 12-13 - Excursion - Peel Inlet

November 26-27 - Excursion - Gingin Shire wetlands

November 28 - Meeting - Topic: Travellers' Tales

December 10 - Social Evening

Supplement to WABN No 45



FALCON TOURS

SPECIALIST IN BIRD TOURS THROUGHOUT AUSTRALIA

Small Group Tours to:
Mitchell Plateau . Bungle Bungle . Darwin - Cairns
Iron Range - Lakefield National Park . Atherton
Tablelands . Nullabor . South West
Send for Brochure

38 Pether Road, Manning, Perth. W.A. 6152. 09 450 2460

TOUR GUIDE

Tour Code F.T.10

KIMBERLEY - MITCHELL PLATEAU TOUR 14 days

Broome - Fitzroy Crossing - Camballin - Geikie Gorge - Private
Gorge - Drysdale River - Mitchell Plateau - Kununurra.

Tour Code F.T.20

BUNGLE BUNGLE TOUR 14 days

Kununurra - Piccaninny Creek - Wolfe Crater - Sturt Creek - Lake
Argyle - Keep River National Park - Kununurra.

Tour Code F.T.22

ACROSS THE TOP. DARWIN - CAIRNS 21 days

Darwin - Obin Rock - Jim Jim Falls - Muirella Edith Falls -
Borrooloola - Westmoreland - Lawn Hill National Park - Leichardt
River - Normanton River - Georgetown Lake Eacham - Cairns.

Tour Code F.T.23

CAPE YORK - IRON RANGE- LAKEFIELD NATIONAL PARK 14 days

Iron Range - Rokeby Croll National Park - Lakefield National Park -
Lake Eacham - Cairns.

Tour Code F.T.26

NULLABOR - BIRD OBSERVATORY 14 days

Perth - Dragon Rocks - Peak Charles - Islands of the Recherche -
Cape Le Grande - Balladonia - Nullabor - Eyre Bird Observatory -
Newman Rocks - McDermid Rock - Dryandra - Perth.

Tour Code F.T.30

THE SOUTH WEST 14 days

Perth - Dryandra - Stirling Range - Albany - Pemberton - Prevelly
Park - Dwellingup - Perth.

Tour Code F.T.30

PHOTOGRAPHIC TOUR WITH MICHAEL MORCOMBE 7 days

Perth - Dryandra - Toolibin - Perth

Coates Wildlife Tours

You are invited to share the
companionship of other enthusiasts or
our wildlife tours for 1988

Spawning of the Coral - Coral Bay
10 - 15 March 1988 • Cost: \$ 375

Abrolhos Islands
26 - 27 March 1988 • Cost: \$ 233

Broome - Cape Leveque
1 - 10 April 1988 • Cost \$ 556

Sale River - Prince Regent River Expedition
9 - 19 June 1988 • Cost: \$ 1647

Kimberley Birdwatching
21 June - 1 July 1988 • Cost: \$ 598

Kimberley - Kakadu National Park
5 - 25 or 31 July 1988 • Cost: \$ 1280

Hamersley Range - Pilbara
23 Aug - 5 Sept 1988 • Cost: \$810

South West Orchid Tour
17 - 23 Sept 1988 • Cost: \$ 588

Dryandra - Murray River - Peel Inlet
1 - 3 Oct 1988 • Cost: \$ 148

Blackwood River Valley
11- 14 Oct 1988 • Cost \$ 228

Fitzgerald - Cape Le Grand National Park
18 - 26 Oct 1988 • Cost: \$ 518

Wongon Hills Wildflower
12 - 13 Nov 1988 • Cost: \$ 125

For further information or brochure contact:

Kevin Coate
21 Acanthus Road, Willetton WA 6155
Tel: 457 1515